GHAREEB FENCING SOLUTIONS

BUILT STURDY. BUILT STRAIGHT. BUILT TO LAST.

SOUTHEAST MICHIGAN | NORTHWEST OHIO

Family-Owned Since 2022

WOOD · VINYL · ALUMINUM · SPLIT RAIL · CHAIN LINK



WE INSTALL ALL WINTER

4.9 ★★★★★ on Google 27 REVIEWS

LICENSED & INSURED


GHAREEB FENCING SOLUTIONS 3 YEAR WORKMANSHIP WARRANTY

BBB ACCREDITED BUSINESS

(419) 214-2107

CALL OR TEXT · ghareebfence.com

Toledo's Trusted Fence Professionals









Why People Hire Us

THE OWNER BUILDS FENCES

Nick has installed hundreds of fences himself. He's the one who walks your yard and prices your job.

OUR OWN CREW

The same crew starts and finishes your fence. We don't sub the work out.

GATES THAT DON'T SAG

Gate posts are 3-inch steel. Vinyl gates have aluminum inside the frame, and wood gates can get a welded steel frame.

CEDAR FROM MICHIGAN MILLS

Western Red Cedar is our standard. Northern White Cedar and cedar split rail come from mills in Michigan's Upper Peninsula.

EVERYTHING IN WRITING

Your quote lists the price, the exact materials and the scope of work. That's what you pay.

3-YEAR WARRANTY

Three years on our workmanship, plus the manufacturer's warranty on vinyl and aluminum. If something's wrong, we come back and fix it.



A NOTE FROM THE OWNER

When you hire us, you get me. My name is on the company, and I'm the one who comes out to look at your yard and price your fence. We're a small family business in Toledo. A lot of our work comes from someone seeing a fence we built down the street, so we build every one like the neighbors are watching. Thanks for giving us a look.

Nicholas — Owner & Installer



What's inside

01	**Why homeowners choose us**	02
	Good, better, best at a glance	04
	How we set posts in clay and sand	05
02	**Wood & cedar**	07
03	**Vinyl**	29
04	**Aluminum**	49
05	**Split rail**	63
06	**Chain link**	71
07	**Working with us**	79
	Local fence rules, town by town	81
	Warranty	84
	Customer reviews	87
	Getting started	91

Free estimates. Call or text (419) 214-2107, or scan to start yours.

SCAN FOR A FREE ESTIMATE

Good, Better, Best

Every fence we build · three tiers

GOOD · BETTER · BEST AT A GLANCE

GFS-TIERS

EVERY FENCE WE BUILD, IN THREE TIERS

	GOOD	BETTER	BEST (RECOMMENDED)
Wood THE LUMBER	**Pressure-treated pine** Up to about 15 years Lowest-cost wood	**Western Red Cedar** 15–30 years Our standard cedar	**Northern White Cedar** 15–30 years Grown and milled in Michigan
Wood THE STYLE	**Dog-ear privacy** 90–95% privacy $	**Shadowbox** 70–85% privacy, good airflow $$ · finished both sides	**Board-on-board** 100% privacy, no gaps $$$ · finished both sides
Vinyl PRIVACY	**Kingston solid** White, Tan or Adobe No painting or staining	**Kingston with a topper** Lattice or spindle top Same 70" finish height	**Rockport woodgrain** Homewood woodgrain finish Mocha Walnut and three more
Open SEE-THROUGH	**Galvanized chain link** 20–30 years Lowest cost per foot	**Black chain link** 25–35 years Vinyl-coated, rust resistant	**Elite aluminum** 30+ years, never rusts Limited lifetime warranty

HOW TO USE THIS PAGE

01 Circle a tier in each row
Pick what you are leaning toward. It does not have to be the same tier in every row.

02 Ask for all three on one quote
We can price good, better and best for your yard so the difference is in dollars, not guesses.

03 Compare them in your portal
Your quote and a 3D drawing of your fence are there to look over at home.

Split rail comes two ways, pressure-treated or Northern White Cedar. See the split rail pages.

Start here.

Circle a tier in each row and bring it to your estimate.



CALL OR TEXT · (419) 214-2107

No-Dig Steel Post Fencing

Driven steel posts that hold tight in Toledo clay and stay put through freeze and thaw



How it works

We don't dig holes or pour concrete. We drive 8-foot galvanized steel posts, 2⅜ inches across (Schedule 40 pipe), 4 feet into the ground and build the fence on them. No dirt piles and no torn-up lawn.

Why it matters here

Clay and freezing winters are hard on concrete footings. Water gets in, freezes, and pushes the post a little further out of line each year. A driven steel post has no footing to heave, and there's no wood sitting in wet concrete to rot.

Below frost line

Posts driven deep, not floated in a footing

Zero concrete

Nothing underground to crack

No cure time

Panels go on as soon as the posts are in

We check your soil at the estimate.
Ask us to drive a test post. It takes about two minutes.

CALL OR TEXT **(419) 214-2107**

Why We Drive Posts in Clay

The part you never see is the part that fails first. Three ways to set a post in Toledo clay.

POOR

Wood Post in Dirt

The low-bid shortcut




Post: PT wood 4x4
Set: Tamped dirt, ~2 ft deep

- ✓ Lowest price up front
- ✗ Whole buried post sits in wet soil
- ✗ Frost pushes it up each winter
- ✗ Leans as the dirt settles
- ✗ Usually the first post to fail

BETTER

Wood Post in Concrete

The old neighborhood standard



Post: PT wood 4x4
Set: Concrete, ~2.5 ft deep

- ✓ Holds straighter than dirt
- ✓ Familiar, widely used
- ✗ Rots where it meets the concrete
- ✗ Footing can heave in frost
- ✗ Hard to fix once it fails

BEST

★ RECOMMENDED

Driven Steel Post

Our King Plus method



Post: 8 ft galv. Sch-40 steel, 2⅜" OD
Set: Driven 4 ft, no concrete

- ✓ No concrete, so no frost heave
- ✓ Soil grips the full post
- ✓ Driven 4 ft, below the frost line
- ✓ Galvanized: won't rot or rust
- ✓ Bends on impact, won't crack



POOR SOIL UPGRADE

Steel Post in Concrete

Driven posts need clay to grip. In sandy or loose soil we set PT wood posts in concrete. Want steel there instead? A galvanized steel post set about 3 ft deep in concrete is available as an upgrade.

Driven a full 4 ft down. Toledo's frost line runs about 3 ft, so our posts anchor below it in undisturbed clay. The “+” in King Plus is an extra top rail that locks your pickets straight and crowns the fence.



02

WOOD & CEDAR

Wood Fencing

Western Red Cedar as standard, Northern White Cedar as the premium, and pressure-treated pine, built board by board on site.

Wood — Good, Better, Best

Pick the style · then pick the lumber

WOOD — GOOD · BETTER · BEST

GFS-W-TIER

STEP 1 · PICK THE STYLE · RENDERED FROM OUR ESTIMATING SOFTWARE

GOOD



Dog-Ear Privacy

Standard privacy

PRIVACY	90–95%
BOTH SIDES	One finished face
AIRFLOW	Minimal
COST	$

BEST FOR
Budget projects and side yards

BETTER



Shadowbox

Alternating boards

PRIVACY	70–85%
BOTH SIDES	Yes, same on both
AIRFLOW	Good
COST	$$

BEST FOR
Shared property lines

BEST — RECOMMENDED



Board-on-Board

Overlapping privacy

PRIVACY	100%, no gaps
BOTH SIDES	Yes, finished both
AIRFLOW	Minimal
COST	$$$

BEST FOR
Full privacy, no gaps

STEP 2 · PICK THE LUMBER

Good	Pressure-treated pine, plain or pre-stained cedar-tone. Up to about 15 years. The lowest-cost wood.
Better	Western Red Cedar, our standard cedar. 15–30 years, natural oil resistance.
Best	Northern White Cedar, grown and milled in Michigan. 15–30 years, very decay resistant.

STEP 3 · ADD AN UPGRADE (OPTIONAL)



Cap & Trim
Flat cap and trim board on top



Lattice Top
12" lattice band along the top



Steel-Frame Gate
Welded frame, built not to sag

Ask for good, better and best on one quote.
We can price all three, plus any upgrade, so you can compare them side by side.

(419) 214-2107

Two choices set your tier.

The style first, then the lumber.



CALL OR TEXT · (419) 214-2107

STANDARD & PREMIUM CEDAR

Cedar Fencing

Western Red Cedar is our standard cedar. Northern White Cedar is the premium upgrade.

GOOD	BETTER	BEST
		★ RECOMMENDED
Pressure Treated Pine	**Western Red Cedar**	**Northern White Cedar**
• Lowest up-front cost	• Natural oil resistance	• Very decay resistant
• Up to ~15 year lifespan	• 15–30 year lifespan	• 15–30 year lifespan
• Treated against rot and insects	• Stays straight as it dries	• Bright, clean grain
• Stain or seal to keep the color	• Seal it, or let it gray	• Grown and milled in Michigan

Pressure-Treated: Know Going In

- Can twist or check as it dries
- Green tint fades to gray
- Stain or seal every few years
- Heavier boards than cedar
- Shorter life than cedar

Cedar Advantages

- ✓ Natural decay resistance
- ✓ Moves less than pine as it dries
- ✓ Tight, even grain
- ✓ Lighter than treated pine
- ✓ Sealing is optional

Want a price on cedar?
Free estimates · Cedar from Michigan mills

CALL OR TEXT **(419) 214-2107**








Why Cedar Holds Up Better Than Treated Pine

It comes down to what's in the wood and how it handles our wet, freezing winters

Thujaplicins

Natural compounds in the heartwood that resist rot

~22 lb/ft³

Lightweight, easy on hardware

No Chemicals

Rot resistance is in the wood

Stays Flatter

Shrinks and twists less than PT as it dries

Pressure-Treated: What to Expect

Pressure-treated pine relies on chemical preservatives forced into the wood. The treatment doesn't reach all the way through, so cuts and cracks expose untreated wood.

It also usually ships wet, so it shrinks, checks, and twists on your fence as it dries in place.

Cedar is drier and moves less as it ages.

Cedar Styles We Offer

Board-on-Board Privacy

No gaps, even after the boards dry

Shadowbox

Same look from both sides

Lattice Top

Privacy with a lattice band on top

Premium Northern White Cedar. Sourced from Michigan's Upper Peninsula. The USDA Wood Handbook rates its heartwood “resistant to very resistant” to decay, its top rating.





Northern White Cedar

Rated “resistant” to “very resistant” to decay in the USDA Wood Handbook — figures on this page are from it

SPECIFICATIONS

Origin	Great Lakes — Michigan U.P.
Lifespan	15–30 years, typical for cedar
Decay resistance	Resistant–very resistant
Shrinkage	Low, ~7% green to dry
Density	About 22 lb/ft^3 dry
Maintenance	Low

Bought Direct From the Mill

We buy from family-run mills in Michigan’s Upper Peninsula, not through a distributor.

We look over every board before it goes on your fence. Thicker, true-dimension boards can be ordered.

Board Thickness

Standard 1×6 (what we install)

Actual: ¾" × 5½"

True-dimension 1×6 (on request)

Actual: 1" × 6" — full thickness, sourced to order

Hybrid build: PT frame + cedar pickets. PT 2×4 rails, with posts set for your soil: driven steel in clay, PT wood in concrete in sand. Cedar goes where you see it, with galvanized nails throughout.









Cedar fences we built around Toledo.

Cedar Fence Options

Our cedar builds side by side: privacy, lifespan and price





STYLE	MATERIAL	PRIVACY	LIFESPAN	PRICE
Cedar Privacy	WRC	100%	15–30 yrs	$$
Cedar Shadowbox	WRC	70–85%	15–30 yrs	$$
Lattice Top	WRC	75%	15–30 yrs	$$$
PT Frame + Cedar	Hybrid	100%	~15 yrs	$
Premium White Cedar	**N. White**	**100%**	**15–30 yrs**	**$$$$**



All of these are built board by board in your yard, not from prefab panels.

Built Right, Board by Board

The details that decide whether a cedar fence still looks good in year fifteen

Heavy-Duty 3" Steel Gate Posts

A bigger post in a bigger box, so gates don't sag

Built Board-by-Board

Cut and fit in your yard, not prefab panels

Gate Hardware

Black steel hinges and latches

Galvanized Nails

3" on the frame, 1¾" coil nails on every picket

Pressure-Treated: Know Going In

- Lowest up-front cost
- Treated against rot and insects
- Can twist or check as it dries
- Stain or seal every few years
- Green tint fades to gray
- Heavier than cedar
- Shorter life than cedar
- A solid fence on a budget

Cedar Advantages

- ✓ Stays straight
- ✓ Resists cracking
- ✓ Rot resistance is in the wood
- ✓ Sealing is optional
- ✓ Tight, even grain
- ✓ Lighter than treated pine
- ✓ Longer lifespan
- ✓ Sealing is optional

✓ **Built Board-by-Board** ✓ **3" Steel Gate Posts** ✓ **3-Year Warranty** ✓ **Standard & Premium Cedar**



Wood Privacy Fencing

Store-bought panels next to a fence built in your yard

STORE-BOUGHT PANELS	GOOD	BEST
		★ RECOMMENDED
Big Box Prefab	**Standard Dog Ear**	**Board-on-Board**
• Gaps between panels	• Slight gaps as it dries	• 100% privacy, no gaps
• Thin boards, stapled frames	• Boards nailed one at a time	• Overlap hides shrink gaps
• Panels can sag on slopes	• Built board-by-board	• Finished on both sides
• 4×4 posts throughout	• 3" steel gate posts	• 3" steel gate posts

✓ **Complete Privacy** ✓ **Built On-Site** ✓ **3" Steel Gate Posts** ✓ **3-Year Warranty**

The Trouble With Prefab Panels

Thin pickets stapled to a light frame. A panel can't follow a slope, so it leaves gaps underneath, and it tends to sag after a few years.

How We Build It

One board at a time, in your yard, following the ground. 3" steel gate posts and galvanized nails throughout.









Standard vs Shadowbox vs Board-on-Board

What each one looks like, and what you give up

GOOD



Standard Privacy

Dog Ear

SPECIFICATIONS

Privacy: 90–95%

Look: Traditional

Both sides: No — one finished face

Airflow: Minimal

Cost: $

PROS

✓ Most affordable option

✓ Classic neighborhood look

✓ Fastest to build

✓ Easy board replacement

CONS

✗ Visible rails on back side

✗ Slight gaps between boards

✗ Less wind resistant

✗ One-sided appearance

BETTER



Shadowbox

Alternating boards

SPECIFICATIONS

Privacy: 70–85%

Look: Decorative

Both sides: Yes — same on both

Airflow: Good

Cost: $$

PROS

✓ Attractive from both sides

✓ Good airflow & wind relief

✓ Your neighbor gets the same view

✓ Layered look, not a flat wall

CONS

✗ Less privacy than solid

✗ Gaps visible at angles

✗ More material cost

✗ Takes a little longer to build

BEST

★ RECOMMENDED



Board-on-Board

Overlapping privacy

SPECIFICATIONS

Privacy: 100%

Look: Solid, layered

Both sides: Yes — finished both

Airflow: Minimal

Cost: $$$

PROS

✓ Complete privacy — no gaps

✓ The most solid-looking fence

✓ No see-through as boards dry

✓ Finished on both sides

CONS

✗ Uses the most lumber

✗ Takes the longest to build

✗ Heavier fence

✗ Costs the most of the three

Which one? Standard: tight budgets and side yards. Shadowbox: shared property lines. Board-on-Board: full privacy.

Not sure which one? Ask us at the estimate.
All three available in PT pine, Western Red Cedar, or Northern White Cedar.

CALL OR TEXT (419) 214-2107

Wood — Style Library

Eight styles · cedar or pressure-treated

WOOD STYLE LIBRARY

GFS-W-LIB

PRIVACY, SEMI-PRIVACY & PICKET · RENDERED FROM OUR ESTIMATING SOFTWARE



Dog-Ear Privacy — PRIVACY

1×6 pickets butted tight · Cedar or pressure-treated



Board-on-Board — PRIVACY

Two courses, 1½" overlap · Stays closed as boards shrink



Shadowbox — SEMI

Boards alternate on both faces · Same look from both yards



Lattice Top — TOPPER

Privacy below, lattice band on top · Lets light in along the top



Cap & Trim — PRIVACY

Flat top with a cap board and trim · A framed, finished top line



Horizontal — MODERN

Boards run level between posts · Clean, modern look



Spaced Picket — PICKET

Spaced pickets, straight top · Front yards and gardens



Scalloped Picket — PICKET

Top line dips between posts · Classic front-yard look

Shown in cedar on 8'-0" sections. These are the same 3D models you see in your quote.

Every style, drawn to scale.

Pick the look here, then see the build details on the spec pages.



Wood — Ranch Rail in 3D

Three boards · black welded wire

WOOD RANCH RAIL WITH WELDED WIRE

GFS-W-LIB2

3-BOARD, 4' HIGH, 10' SECTIONS · RENDERED FROM OUR ESTIMATING SOFTWARE



Board Side — FRONT

Three boards per section on 4×4 posts · Shown in pressure-treated



Wire Side — BACK

Black 2" × 4" welded wire on the inside face · Keeps a dog in without changing the look from the road

Also built with four boards. Full dimensions are on the ranch rail drawing.

Both sides shown.

Boards face out, wire goes on the inside.




CALL OR TEXT · (419) 214-2107

Wood & Cedar — Build Specs

Dog-Ear Privacy · Board-on-Board

DOG-EAR PRIVACY

GFS-W-DOG




SPECIFICATIONS	
PICKETS	1×6 (5½"), dog-ear · cedar or PT
HEIGHTS	4', 6', 7' or 8'
RAILS	2×4s across the box · flat 2×4 on top
POSTS	Driven steel in a wood box · 8'-0" O.C.
SANDY SOIL	PT wood posts set in concrete instead
FASTENERS	Galvanized: 3" framing, 1¾" pickets

The everyday privacy fence. Pickets butt tight on the street side, and the rails stay on your side.

BOARD-ON-BOARD

GFS-W-BOB



SPECIFICATIONS	
PICKETS	1×6, two courses · cedar or PT
OVERLAP	1½" on each edge
PRIVACY	100% — stays closed as boards shrink
HEIGHTS	4' or 6'
POSTS	Driven steel in a wood box · 8'-0" O.C.
SANDY SOIL	PT wood posts set in concrete instead

Boards shrink as they dry. The overlap means you still can't see through it years from now.

Hand this drawing to another contractor and ask if they build it the same way.



CALL OR TEXT · (419) 214-2107


Wood & Cedar — Build Specs

Shadowbox · Cap & Trim

SHADOWBOX (GOOD NEIGHBOR)

GFS-W-SHW

ELEVATION — 6' SHADOWBOX



PLAN VIEW

ALTERNATING FACES

SPECIFICATIONS


PICKETS	1×6, dog-ear, both faces
SPACING	3½" gap per face · 1" overlap
BOTH SIDES	Finished — no "bad side"
HEIGHTS	4' or 6'
POSTS	Driven steel in a wood box · 8'-0" O.C.
SANDY SOIL	PT wood posts set in concrete instead

Same look from both yards, and the wind passes through instead of pushing on a solid wall.

CAP & TRIM

GFS-W-CAP

ELEVATION — 6' CAP & TRIM



TOP SECTION

CAP OVER TRIM

SPECIFICATIONS

CAP	Flat cap board, full length
TRIM	Trim board on the face
BODY	Privacy, shadowbox or board-on-board
WOOD	Cedar or PT
POSTS	Driven steel in a wood box · 8'-0" O.C.
SANDY SOIL	PT wood posts set in concrete instead

The cap covers the cut tops of the pickets, which is where water gets in and boards start to split.

Every board, rail and nail is on the drawing before we quote it.



CALL OR TEXT · (419) 214-2107


Wood & Cedar — Build Specs

Lattice Top · Semi-Privacy

LATTICE TOP

GFS-W-LAT

ELEVATION — 6' SHADOWBOX WITH LATTICE TOP



SPECIFICATIONS


TOP BAND	12" framed diagonal lattice
BODY	Shadowbox below · cedar or PT
HEIGHT	6' overall
RAILS	2×4 on edge, lattice framed in
POSTS	Driven steel in a wood box · 8'-0" O.C.
SANDY SOIL	PT wood posts set in concrete instead

Privacy where you stand, light and air up top. Popular around patios and pools.

SEMI-PRIVACY (SPACED PICKET)

GFS-W-SEMI

ELEVATION — 6' SEMI-PRIVACY · 6" PICKETS



PLAN VIEW

1½" GAPS

SPECIFICATIONS

PICKETS	1×6 with 1½" gaps · cedar or PT
OPTION	4"/6" alternating pattern
RAILS	3 rails (2-rail option)
HEIGHT	6'
POSTS	Driven steel in a wood box · 8'-0" O.C.
SANDY SOIL	PT wood posts set in concrete instead

Defines the line and softens the view without walling you in. Also built as a 4' spaced picket.

The top changes. The posts underneath are set for your soil either way.




Wood & Cedar — Build Specs

Horizontal · Ranch Rail

HORIZONTAL

GFS-W-HZN

ELEVATION — 6' HORIZONTAL



PLAN VIEW

BOARDS ON THE POST FACE

SPECIFICATIONS


BOARDS	1×6, run horizontally
WOOD	Cedar or Cedar-tone PT
HEIGHT	6'
SPAN	Post to post, 8'-0" O.C.
POSTS	Driven steel in a wood box · 8'-0" O.C.
SANDY SOIL	PT wood posts set in concrete instead

Clean modern lines. The boards run post to post with nothing showing on the face.

RANCH RAIL WITH WELDED WIRE

GFS-W-RNCH

ELEVATION — 4' 3-BOARD RANCH RAIL · 10' SECTION



PLAN VIEW



WIRE BEHIND THE BOARDS

SPECIFICATIONS

BOARDS	3 or 4 boards per section
HEIGHTS	4' (4½' with 4 boards)
WIRE	Black vinyl-coated welded wire
SECTIONS	10'-0" O.C.
POSTS	4×4 wood
WOOD	Cedar or pressure-treated

The open farm-fence look, with black wire behind the boards so the dog stays in.

Also built: 4' spaced picket, 4' scallop-cut privacy, and 8' tongue-and-groove.



CALL OR TEXT · (419) 214-2107


Wood — Scalloped Picket & Post Box

Scalloped picket · driven post and wood box

SCALLOPED PICKET

GFS-W-SCL

ELEVATION — 4' SCALLOPED PICKET · GOOD SIDE



POST BOX — PLAN

TWO 2×4s + ONE PICKET

SPECIFICATIONS


PICKETS	1×6 (5½") · 2" gaps · cedar or PT
TOP LINE	4' at the posts · dips 6" mid-section
RAILS	2×4 · three rails, run across the box
ABOVE THE RAIL	Pickets stand at least 6" over the top rail
POST BOX	Around driven steel · 1½" under the top rail height
SECTIONS	8'-0" O.C.

The top line dips between posts. Same driven posts and framing as our privacy fences, at four feet.

DRIVEN POST & WOOD BOX — HOW WE FRAME WOOD

GFS-W-BOX

ELEVATION — 6' PRIVACY · YARD SIDE, FRAMING SHOWN



IN THE GROUND

8' POST · DRIVEN 4'

SPECIFICATIONS

STEEL POST	8' galvanized steel · driven 4' deep
WOOD BOX	Two 67" 2×4s + a picket · 1½" under the rail height
TOP RAIL	Flat 2×4 on top of the box - pickets 6" above it
RAILS	2×4s run continuous across the box
BOTTOM GAP	2½" between the pickets and the ground
SANDY SOIL	PT wood post set in concrete instead

In clay we drive the steel and box it in wood, so you see a wood post and the steel does the holding.

Steel in the ground, wood where you see it.

Every wood fence in clay is framed this way.



CALL OR TEXT · (419) 214-2107

Steel Frame Gate Upgrade

Welded steel frames for wood gates that hold square and don't sag

Welded Steel Gate Frame

SPECS

- 1½" square steel tubing
- 100% welded joints
- Rust-preventive primer
- Sized to your opening
- Built not to sag



Standard Wood Gate

✗ Wood frame with a bracket
✗ Sags over time
✗ Needs periodic adjustment
✗ Harder to keep square when wide

Steel Frame Gate

✓ Welded steel perimeter
✓ Holds square, no sag
✓ No yearly adjusting
✓ Built for wide and double gates

Recommended for: wide gates (5 ft+) · double drive gates · gates you use every day










RECENT INSTALLS

Cedar Fence Gallery

Western Red Cedar and Northern White Cedar, built board by board on site.




Cedar privacy at the front of the house




Cedar shadowbox behind the garden



Cedar privacy near the lake




Cedar cap and trim at the end of a run



THE FINISHED TOP

Cap & Trim

A flat cap board runs the full length of the top, with a trim board on the face just under it. Shown: cedar board-on-board.



Capped shadowbox, pressure-treated



Capped shadowbox at the gate

WHY PEOPLE ADD IT

- Covers the cut tops of the pickets, where water gets in and boards start to split.
- Gives the fence a framed, finished top line.
- Works on privacy, board-on-board and shadowbox, in cedar or pressure-treated.

HOW WE BUILD IT


CAP	Flat cap board, full length
TRIM	Trim board on the face
BODY	Privacy, board-on-board or shadowbox
POSTS	Driven steel in a wood box, 8'-0" O.C.

Add it to any wood tier.
Ask and we'll price it next to the plain top on the same quote.


CALL OR TEXT (419) 214-2107

Wood, yard after yard


Board-on-board, privacy, shadowbox and ranch rail



Board-on-board along the side



Pressure-treated privacy across a back yard



Scalloped shadowbox between houses



Shadowbox on a long run



Ranch rail, welded wire, X-braced gates



Ranch rail with welded wire on a long back line

Caring for Your Cedar Fence

Cedar doesn't need much. This is all of it.

Sealing

OPTIONAL, YEAR 1

Seal it to hold the color, or leave it bare and let it turn silver-gray. Either is fine. It only changes the look.

Stain / Re-seal

EVERY 3–5 YEARS

If you sealed it, reapply every three to five years depending on how much direct sun that run of fence takes.

Inspect & Clean

ANNUAL

Walk the line once a year: check for loose boards, clear leaves and debris, and trim back vegetation growing into the fence.







Want a price on cedar?

Free estimate. Every fence comes with our 3-year workmanship warranty.

CALL OR TEXT (419) 214-2107















Ready for a price on your wood fence?

Free on-site estimate. Cedar or pressure-treated, priced for your yard and your soil.

01
Call, text or scan the code

02
We walk your yard and measure

03
You get a written quote with a 3D drawing

“We opted for a cedar privacy fence. Nick knocked it out of the park.”

★★★★★ **Josh Smith**

(419) 214-2107

ghareebfence.com

SCAN FOR A FREE ESTIMATE

GHAREEB FENCING SOLUTIONS · BUILT STURDY. BUILT STRAIGHT. BUILT TO LAST.



03

HOMELAND VINYL

Vinyl Fencing

Made in the USA, thicker walls than the big-box brand, and aluminum inside every gate.

Vinyl — Good, Better, Best

Kingston · Kingston with a topper · Rockport woodgrain

VINYL — GOOD · BETTER · BEST

GFS-V-TIER

THREE WAYS TO BUILD VINYL PRIVACY · RENDERED FROM OUR ESTIMATING SOFTWARE

GOOD



Kingston Privacy

Solid color

COLORS	White, Tan or Adobe
PICKETS	7/8" × 6" T&G
RAILS	2" × 7"
HEIGHT	6'

BEST FOR
Clean, simple privacy

BETTER



Kingston with a Topper

Lattice or spindle top

TOP BAND	12" lattice, or spindles
PICKETS	7/8" × 6" T&G
FINISH HT	Same 70"
COLORS	White, Tan or Adobe

BEST FOR
Privacy with a finished top

BEST — RECOMMENDED



Rockport Woodgrain

Homewood finish

FINISH	Woodgrain
SHOWN	Mocha Walnut
ALSO	Dark Gray, Aspen Latte
ALSO	Chai Gray

BEST FOR
The look of wood, no staining

THE SAME ON EVERY TIER

Posts	5" × 5" Homeland posts with a .150" wall, thicker than the big-box brand.
Gates	Aluminum reinforcement inside every gate frame.
Warranty	Homeland's limited lifetime warranty, plus our 3-year workmanship warranty.

OTHER WAYS TO BUILD IT



Hartford Top
Spindle band along the top



Wellington
Semi-privacy, small gaps for airflow



7' and 8' Panels
Rockport Midrail, with a third rail

Ask for good, better and best on one quote.
We can price all three, plus any upgrade, so you can compare them side by side.

(419) 214-2107

Same posts and warranty on every tier.

The tier changes the look.



CALL OR TEXT · (419) 214-2107

Vinyl Privacy Fencing

Low-maintenance privacy with no painting or staining

WOOD	BIG-BOX VINYL	WHAT WE INSTALL
		★ RECOMMENDED
Wood Privacy	**Big Box Vinyl**	**Homeland Vinyl**
• 15–30 year lifespan (cedar)	• Thinner .135" post walls	• .150" post walls
• Stain or seal to keep the color	• Low maintenance	• No painting or staining
• Real wood look and feel	• Can flex more in wind	• Resists warping
• Boards move as they dry	• Limited lifetime warranty	• Limited lifetime warranty

✓ **Complete Privacy** ✓ **No Painting** ✓ **UV Protected** ✓ **Lifetime Warranty**

Where Cheap Vinyl Fails

Thinner walls flex more in the wind and crack sooner, and cheaper vinyl yellows faster in the sun.

What Homeland Does Differently

Made in the USA, with thicker walls, ACCU-Shield UV protection and aluminum in every gate. Homeland backs it with a limited lifetime warranty.









Homeland vs. the Big-Box Brand

Post Wall · Rails · Reinforcement · UV Protection

HOMELAND VS. THE BIG-BOX BRAND

GFS-V-CMP


WHY WE INSTALL HOMELAND







POST CORNER, PRINTED AT FULL SIZE



HOMELAND · .150" WALL

CATALYST · .135" WALL

+11%

thicker post wall.

Same 5" post on the outside. Homeland's wall is .150" thick; Catalyst's 5" post is listed at .135". That's 1/64" on paper, and it runs all the way around every post on the job.

Homeland makes its vinyl in the USA, at six plants.

	HOMELAND · WHAT WE INSTALL	CATALYST · SOLD AT LOWE'S
Post wall	5" × 5" × .150"	5" × 5" × .135"
Privacy rail	2" × 7" (Kingston) · 1¾" × 5½" × .090 (Rockport)	Varies by line, 1½" × 5½" to 2" × 8"
Metal inside	Aluminum stiffeners inside every gate	Aluminum inserts only where the kit calls for them
UV protection	ACCU-Shield outer layer + titanium dioxide	UV inhibitors
Testing	VMA certified · Miami-Dade performance tested	Not stated in their kit literature
Installed by	Our crew, posts set for your soil	Sold as DIY kits

Catalyst figures from Catalyst dealer listings and kit instructions, Nov. 2026. Both carry limited lifetime warranties.

Not all vinyl is the same.

Here's what we install next to the brand on the shelf at Lowe's.



CALL OR TEXT · (419) 214-2107


Vinyl Style Library

Privacy · Toppers · Semi-Privacy

VINYL STYLE LIBRARY

GFS-V-LIB1

PRIVACY & SEMI-PRIVACY — 6' · RENDERED FROM OUR ESTIMATING SOFTWARE



Kingston Privacy — SOLID

7/8" × 6" T&G pickets · 2" × 7" rails · White · Tan · Adobe



Rockport Privacy — HOMEWOOD

Woodgrain finish shown: Mocha Walnut · Also Dark Gray · Aspen Latte · Chai Gray



Lattice Top — TOPPER

12" lattice band, same 70" finish height · On Kingston and Rockport



Hartford Top — TOPPER

1½" square spindles · 3" gaps · Also Windsor, Bedford, Victorian



Wellington — SEMI

6" boards, ½" gaps · Light and air through, most of the view blocked



Montgomery — SEMI

Alternating 6" and 1½" boards, 1" gaps · A mix of wide and narrow boards



Shadowbox — SEMI

6" boards on both faces, offset · No bad side for the neighbor



Whitney — SEMI

3" boards, 1" gaps · Shown in Tan

Every vinyl style on 8'-0" sections. These are the same 3D models you see in your quote.

See it before you pick it.

Every style here comes out of the same 3D software that draws your quote.



CALL OR TEXT · (419) 214-2107

Vinyl — Rockport Midrail in 3D

7' and 8' privacy · 6'-0" sections

TALL VINYL — ROCKPORT MIDRAIL


GFS-V-LIB3

7' AND 8' PRIVACY · 6'-0" SECTIONS · RENDERED FROM OUR ESTIMATING SOFTWARE



Rockport Midrail — 7' 7 FT

Three rails: top, mid and bottom · 1¾" × 5½" · 6'-0" sections · 5" × 5" posts



Rockport Midrail — 8' 8 FT

Three rails: top, mid and bottom · 1¾" × 5½" · 6'-0" sections · 5" × 5" posts

For yards that need more than six feet. Check your town's height limit first.

When six feet is not enough.

A third rail and shorter sections keep a tall panel straight.



CALL OR TEXT · (419) 214-2107

Vinyl Picket & Ranch Styles

Hartford · Bedford · Cascade · Midland

VINYL PICKET & RANCH

GFS-V-LIB2

PICKET & RANCH RAIL — 3' AND 4' · RENDERED FROM OUR ESTIMATING SOFTWARE



Hartford Picket — PICKET

1½" square pickets · 3" gaps · Clean, modern line



Bedford Picket — PICKET

1½" square pickets · 2" gaps · Tighter spacing than Hartford




Cascade Traditional — PICKET

3" pointed pickets · 2" gaps · Straight top line




Cascade Victorian — PICKET

3" pointed pickets on a concave sweep · Classic front-yard look



Midland 2-Rail — RANCH

3' high · two rails · Boundaries and driveways




Midland 3-Rail — RANCH

4' high · three rails · Also 4-rail at 5'

Picket and ranch styles come in White, Tan or Adobe. Full dimensions are on the spec pages.

For the front yard.

Four of our picket styles, plus ranch rail in two, three or four rails.



CALL OR TEXT · (419) 214-2107


Vinyl — Build Specs

Kingston & Rockport Privacy · Midrail

KINGSTON & ROCKPORT PRIVACY

GFS-V-PRV

ELEVATION — 6' KINGSTON PRIVACY



RAIL PROFILES

POCKET RAILS · .090" WALL

SPECIFICATIONS


POSTS	5"×5" · .150" wall · aluminum insert
RAILS	Kingston 2"×7" · Rockport 1¾"×5½"
PICKETS	7/8"×6" T&G, beveled · .050" wall
HEIGHTS	4', 5', 6' (6' = 70" finish)
SECTIONS	8'-0" O.C.
GATES	Internal aluminum frame

The two privacy lines differ only in the rail profile. Kingston has the taller 7" rail; Rockport the slimmer 5½".

ROCKPORT MIDRAIL — 7' & 8'

GFS-V-MID

ELEVATION — 8' ROCKPORT MIDRAIL



SPECIFICATIONS

HEIGHTS	7' or 8'
RAILS	3 · top, mid, bottom · 1¾"×5½"
SECTIONS	6'-0" O.C. — shorter for the height
PICKETS	7/8"×6" T&G
POSTS	5"×5" · .150" wall
COLORS	White · Tan · Adobe

For the yards that need more than six feet. The extra rail and shorter sections keep a tall panel straight.

Wall thickness is the spec cheap vinyl hides.

Ours is printed on the sheet: 5"×5" posts at .150", pickets at .050".



CALL OR TEXT · (419) 214-2107


Vinyl — Toppers & Colors

Lattice · Spindle · Concave · Homewood Woodgrain

TOPPERS & COLORS

GFS-V-TOP

TOPPER OPTIONS — 6' PRIVACY, 70" FINISH



Lattice
12" diagonal lattice band

Hartford
1½" sq. spindles · 3" gaps

Windsor
3" pickets · 2" gaps

Bedford
1½" sq. pickets above the rail

Traditional
3" pointed pickets

Concave
1½" sq. pickets · concave sweep

Victorian
Pointed pickets · concave sweep

ON KINGSTON AND ROCKPORT; HARTFORD, WINDSOR AND LATTICE ALSO ON WELLINGTON

COLORS

STANDARD — EVERY SERIES

- White
- Tan
- Adobe

HOMEWOOD WOODGRAIN — ROCKPORT PRIVACY

- Mocha Walnut — + toppers, Bedford, Hartford
- Dark Gray
- Aspen Latte
- Chai Gray

Two-tone available: white posts and rails with tan pickets.

Toppers are built into the panel, not added after. The finish height stays the same 70" either way.

Seven toppers, one height.

Pick the look you want; the panel still finishes at 70 inches.



CALL OR TEXT · (419) 214-2107


Vinyl — Lattice Top & Hartford Top

Kingston 6' · toppers drawn to scale

LATTICE TOP — KINGSTON 6'

GFS-V-LAT

ELEVATION — 6' KINGSTON · LATTICE TOP



SPECIFICATIONS


TOP BAND	12" diagonal lattice band
LATTICE	Set into the rail above and below
TOP RAILS	3½"×2", above and below the band
BODY	7/8"×6" T&G · Kingston 2"×7" bottom rail
FINISH HEIGHT	70" (6' nominal)
ALSO ON	Rockport and Wellington

The lattice is built into the panel between two rails. The fence is the same height as a plain 6' Kingston.

HARTFORD TOP — KINGSTON 6'

GFS-V-HTP

ELEVATION — 6' KINGSTON · HARTFORD TOP



SPECIFICATIONS

TOP BAND	1½" square spindles · 3" gaps
BAND	12" between the rails
TOP RAILS	3½"×2", above and below the band
BODY	7/8"×6" T&G · Kingston 2"×7" bottom rail
FINISH HEIGHT	70" (6' nominal)
ALSO ON	Rockport and Wellington

Privacy below and an open spindle band on top. The spindles are square, not round.

Built into the panel.

Same 70" finish height with or without a topper.




Vinyl — Semi-Privacy

Wellington · Montgomery

WELLINGTON SEMI-PRIVACY

GFS-V-WEL

ELEVATION — 6' WELLINGTON SEMI-PRIVACY



PLAN VIEW

SPECIFICATIONS


PICKETS	6" boards · ½" gaps
RAILS	6"×2" · 2 rails
HEIGHTS	4', 5' or 6'
TOPPERS	Hartford, Windsor or lattice (6')
SECTIONS	8'-0" O.C.
COLORS	White · Tan · Adobe

Nearly private, with just enough air between the boards that it doesn't feel like a wall.

MONTGOMERY

GFS-V-MON

ELEVATION — 6' MONTGOMERY



PLAN VIEW

SPECIFICATIONS

PICKETS	6" and 1½" boards, alternating
GAPS	1" between boards
RAILS	3½"×2"
HEIGHTS	4', 5' or 6'
SECTIONS	8'-0" O.C.
COLORS	White · Tan · Adobe

A wide-and-narrow rhythm that reads custom from the street. Semi-private, not see-through.

Privacy with some air.

Both block most of the view without catching every gust of wind.



CALL OR TEXT · (419) 214-2107


Vinyl — Shadowbox & Whitney

Vinyl Shadowbox · Whitney

VINYL SHADOWBOX

GFS-V-SHW

ELEVATION — 6' VINYL SHADOWBOX



PLAN VIEW

BOARDS ON BOTH FACES

SPECIFICATIONS


PICKETS	6" boards on both faces
SPACING	3½" gap per face, covered
RAILS	6"×2"
HEIGHTS	4', 5' or 6'
SECTIONS	8'-0" O.C.
COLORS	White · Tan · Adobe

Looks the same from both yards, which makes it the easy pick for a shared property line.

WHITNEY

GFS-V-WHT

ELEVATION — 6' WHITNEY



PLAN VIEW

1" GAPS

SPECIFICATIONS

PICKETS	3" boards · 1" gaps
RAILS	3½"×2"
HEIGHTS	4', 5' or 6'
LOOK	Tight spaced picket
SECTIONS	8'-0" O.C.
COLORS	White · Tan · Adobe

Narrow boards close together. It feels like a picket fence but gives you most of the privacy.

Same on both sides.

Your neighbor sees the same fence you do.



CALL OR TEXT · (419) 214-2107


Vinyl — Picket & Ranch Rail

Six Picket Styles · Midland Ranch Rail


PICKET & RANCH RAIL

GFS-V-PKT


PICKET STYLES — 4' SHOWN, 46" FINISH · 3½"×2" RAILS




Bedford
1½" sq. · 2" gaps · 3'-5'




Bedford Concave
Concave sweep · 4'-5'




Hartford
1½" sq. · 3" gaps · 4'-6'



Windsor
3" pickets · 2" gaps · 4'-6'




Cascade Traditional
2" pointed · 3'-5'




Cascade Victorian
Pointed, concave · 4'-5'

PICKET NOTES


Rails 3½"×2". A midrail is added at 5' and up.
Windsor and Cascade pickets pass through the rails.
Mocha Walnut woodgrain on Bedford, Bedford Concave and Hartford.



Midland 2-Rail
3' high · ribbed rails



Midland 3-Rail
4' high · ribbed rails



Midland 4-Rail
5' high · ribbed rails

RANCH RAIL

Midland 2-, 3- and 4-rail.
3', 4' and 5' high.
White, Tan or Adobe.

Every picket and ranch style comes in White, Tan or Adobe on 8'-0" sections.

The classic front-yard fence.

Six picket styles and three ranch rails, all on 8'-0" sections.



CALL OR TEXT · (419) 214-2107


Vinyl — Hartford & Bedford Picket

Square pickets · 4' shown

HARTFORD PICKET — 4'

GFS-V-HPK

ELEVATION — 4' HARTFORD PICKET



SPECIFICATIONS


PICKETS	1½" square · 3" gaps
TOP LINE	Flat. Pickets end inside the top rail
RAILS	3½"×2" · midrail added at 5' and up
POSTS	5"×5" · .150" wall
HEIGHTS	4', 5' or 6' (4' = 46" finish)
COLORS	White · Tan · Adobe

A clean, squared-off picket with a flat top rail. The widest spacing of the vinyl pickets.

BEDFORD PICKET — 4'

GFS-V-BPK

ELEVATION — 4' BEDFORD PICKET



SPECIFICATIONS

PICKETS	1½" square · 2" gaps
TOP LINE	Straight. Pickets rise above the rail
RAILS	3½"×2" · midrail added at 5' and up
POSTS	5"×5" · .150" wall
HEIGHTS	3', 4' or 5' (4' = 46" finish)
COLORS	White · Tan · Adobe

Same square pickets as Hartford, set closer together and standing up past the top rail.

Two square-picket styles.

Hartford is flat on top. Bedford stands above the rail.




CALL OR TEXT · (419) 214-2107

Vinyl — Cascade Traditional & Victorian

Pointed pickets · 4' shown

CASCADE TRADITIONAL — 4'

GFS-V-CTR




SPECIFICATIONS

PICKETS	3" wide, pointed · 2" gaps
TOP LINE	Straight line of points
RAILS	3½"×2" · midrail added at 5' and up
POSTS	5"×5" · .150" wall
HEIGHTS	3', 4' or 5' (4' = 46" finish)
COLORS	White · Tan · Adobe

The classic pointed picket in vinyl. The pickets run through the rails instead of being screwed to them.

CASCADE VICTORIAN — 4'

GFS-V-CVI



SPECIFICATIONS

PICKETS	3" wide, pointed · 2" gaps
TOP LINE	Concave sweep between posts
RAILS	3½"×2" · midrail added at 5' and up
POSTS	5"×5" · .150" wall
HEIGHTS	4' or 5' (4' = 46" finish)
COLORS	White · Tan · Adobe

Cascade pickets cut to a curve, so the top line dips between each pair of posts.

Two pointed-picket styles.

Traditional is straight. Victorian dips between posts.

FREE ON-SITE ESTIMATE

SCAN THE CODE

CALL OR TEXT · (419) 214-2107


Vinyl — Midland Ranch Rail

2-rail at 3' · 3-rail at 4'

MIDLAND 2-RAIL RANCH — 3'

GFS-V-M2R

ELEVATION — 3' MIDLAND 2-RAIL RANCH



SPECIFICATIONS


RAILS	2 ribbed ranch rails per section
HEIGHT	3' nominal
POSTS	5"×5" vinyl, routed for the rails
SECTIONS	8'-0" O.C.
ALSO BUILT	2-rail 3' · 3-rail 4' · 4-rail 5'
COLORS	White · Tan · Adobe

Two rails at three feet. Marks a boundary or a driveway without closing anything in.

MIDLAND 3-RAIL RANCH — 4'

GFS-V-M3R

ELEVATION — 4' MIDLAND 3-RAIL RANCH



SPECIFICATIONS

RAILS	3 ribbed ranch rails per section
HEIGHT	4' nominal
POSTS	5"×5" vinyl, routed for the rails
SECTIONS	8'-0" O.C.
ALSO BUILT	2-rail 3' · 3-rail 4' · 4-rail 5'
COLORS	White · Tan · Adobe

Three rails at four feet, the horse-farm look. No painting, and the rails never rot.

Ranch rail in vinyl.

Ribbed rails slide through routed posts.



Privacy Gallery & Features

Vinyl we installed around Toledo, and what's inside it











What's Inside

Aluminum Gate Stiffeners

Aluminum inside every vinyl gate frame stops the sag

Heavy-Wall Posts

5" × 5" posts with a .150" wall, thicker than the big-box brand

UV Protection

ACCU-Shield outer layer helps resist UV fading

Interlocking Pickets

Tongue-and-groove pickets lock together



RECENT INSTALLS

Vinyl Fence Gallery

White, tan and two-tone vinyl we installed around Toledo.




Tan panels in a white frame



White privacy with a lattice top, close up



Tan privacy on a back line




Woodgrain privacy

Vinyl picket and privacy


Front yards, gardens and back lines



White picket with a gate at the front walk



White picket with a gate



White privacy along the tree line



White picket around a garden



Tan privacy with a gate



White picket along a curved walk



VINYL · NEXT STEP

Ready for a price on your vinyl fence?

Free on-site estimate. Pick a style and color, and see it drawn on your yard.

01
Call, text or scan the code

02
We walk your yard and measure

03
You get a written quote with a 3D drawing

“Had around 230 linear feet of white vinyl fence installed 6/25/25. They finished the job the next day.”

★★★★★ **Theresa C.**

(419) 214-2107

ghareebfence.com

SCAN FOR A FREE ESTIMATE

GHAREEB FENCING SOLUTIONS · BUILT STURDY. BUILT STRAIGHT. BUILT TO LAST.



04

ELITE ALUMINUM

Ornamental Aluminum

Made in Chesterfield, Michigan. Powder-coated, pre-assembled panels on 2" aluminum posts.


Ornamental Aluminum

Spear · Staggered · Flat · Flat w/ Spear · LifeGard · Pet

ORNAMENTAL ALUMINUM STYLES


GFS-AL-STY

ELITE RESIDENTIAL STYLES — DRAWN TO SCALE, 4' HEIGHT




Spear Top — EFS-10

Every picket runs through the top rail
and ends in a pressed spear.
3 rails · 5/8" pickets · 3-13/16" air
3' to 6'




Staggered Spear — EFS-15

Spears alternate high and low
for a hand-forged look.
3 rails · 5/8" pickets · 3-13/16" air
3' to 6'




Flat Top — EFF-20

Pickets stop inside a flat,
beveled top rail. Our most common.
3 rails (4 at 6') · 5/8" pickets
3' to 6'




Flat Top w/ Spear — EFF-25

Flat top rail with every other
picket rising to a spear.
3 rails · 5/8" pickets · 3-13/16" air
3' to 6'



2-Rail LifeGard — LIFEGARD

Two rails, nothing in between.
¾" pickets on a taller rail.
1-1/8" × 1-3/4" rails
4'



Pet Panel — 1-5/8" AIR

Twice the pickets, half the gap.
For small dogs.
1-5/8" air · racks only ~1–2"
On EFF-20 / EFF-25

Most styles can also be ordered with the pickets running through the bottom rail.

Six Elite styles.

All set on the same 2" aluminum posts, in any of seven colors.



CALL OR TEXT · (419) 214-2107

Aluminum — Styles in 3D

Six Elite styles · 4' shown in black

ALUMINUM STYLE LIBRARY

GFS-AL-LIB

ELITE ALUMINUM — 4' SHOWN IN BLACK · RENDERED FROM OUR ESTIMATING SOFTWARE



Spear Top EFS-10

Every picket ends in a spear · 3 rails · 5/8" pickets



Staggered Spear EFS-15

Spears alternate high and low · 3 rails · 5/8" pickets



Flat Top EFF-20

Flat top rail, our most common · 3 rails (4 at 6')



Flat Top w/ Spear EFF-25

Scale drawing, 3D model still to come · Spear on every other picket



2-Rail LifeGard LIFEGARD

Two rails, nothing in between · ¾" pickets · 1-3/4" rails



Pet Panel 1-5/8" AIR

Twice the pickets, half the gap · On EFF-20 or EFF-25

Six-foot panels on 2" posts, shown in black. Every style comes in all seven Elite colors.

The same models you see in your quote.

Pick the top you like, then pick the color.



CALL OR TEXT · (419) 214-2107

Aluminum — Colors & Details

7 Powder-Coat Colors · Finials · Full-Size Spacing

COLORS, ACCESSORIES & SPACING

GFS-AL-CLR

POWDER-COAT COLORS — ELITE STANDARD




Beige, Walnut Brown and Hartford Green aren't made in the 2" × .060 post, so those colors use a heavier-wall post. Printed colors are close, not exact: ask to see a real sample.

ACCESSORIES — POWDER-COATED TO MATCH, OR GOLD



Also available: post caps, magnetic self-latching gate latches, and floor flanges for mounting on concrete.

PICKET SPACING — PRINTED AT ACTUAL SIZE



STANDARD
3-13/16" between 5/8" pickets

PET PANEL
1-5/8" between pickets

Hold a tape measure to the spacing above. Printed at actual size, so the gap you see is the gap you get.

Powder coat, not paint.

Elite's lifetime warranty covers peeling and cracking.



CALL OR TEXT · (419) 214-2107

Aluminum — Elite Colors

Seven powder-coat colors · made in Michigan

ELITE ALUMINUM COLORS

GFS-AL-COL

THE ELITE COLOR RANGE · SEVEN POWDER-COAT COLORS



Black	Quaker Bronze	White	Sandstone	Beige	Walnut Brown	Hartford Green
01 / 07	02 / 07	03 / 07	04 / 07	05 / 07	06 / 07	07 / 07
				Heavier post wall	Heavier post wall	Heavier post wall

INSTALLED IN THE TOLEDO AREA



Finish	Powder-coated at the Elite factory in Chesterfield, Michigan. No painting, ever.
Posts	Beige, Walnut Brown and Hartford Green ship with the heavier post wall.
Samples	Printed ink is never exact. Ask to see a real color sample before you choose.

Printed colors are close, not exact. Ask us to bring a metal sample to your estimate.

Seven colors, one finish.

Every panel, post, gate and cap is powder-coated at the factory.



CALL OR TEXT · (419) 214-2107

Open Fence — Good, Better, Best

Chain link · black chain link · Elite aluminum

OPEN FENCE — GOOD · BETTER · BEST

GFS-O-TIER

THREE WAYS TO FENCE A YARD YOU CAN SEE THROUGH

GOOD



Galvanized Chain Link

The budget option

LIFESPAN	20–30 years
COST	Lowest per foot
HEIGHTS	4' to 6'
TOP RAIL	Standard

BEST FOR
Pets and tight budgets

BETTER



Black Chain Link

Vinyl-coated

LIFESPAN	25–35 years
FINISH	Black, rust resistant
HEIGHTS	4' to 6'
TOP RAIL	Standard

BEST FOR
Chain link that blends in

BEST

RECOMMENDED



Elite Aluminum

Ornamental

LIFESPAN	30+ years
FINISH	Powder coat, 7 colors
UPKEEP	No painting, never rusts
WARRANTY	Limited lifetime

BEST FOR
Front yards and pools

GOOD TO KNOW

Chain link	Top rail is standard. Add a bottom tension wire if your dog pushes under.
Aluminum	Panels rack to follow a slope. Seven powder-coat colors.
Vinyl picket	White picket and ranch rail for front yards. See the vinyl pages.

MORE OPEN STYLES



Split Rail
Cedar or pressure-treated



Split Rail + Pet Wire
Welded wire keeps a dog in



Aluminum Pet Panel
1⅜" between pickets

Ask for good, better and best on one quote.
We can price all three, plus any upgrade, so you can compare them side by side.

(419) 214-2107



See-through fences, three ways.


Lifespans and finishes side by side.

CALL OR TEXT · (419) 214-2107

RECENT INSTALLS

Aluminum Fence Gallery

Elite aluminum we installed around Toledo and Southeast Michigan.



Front yard, with arborvitae



Black aluminum along a driveway



Around a pool patio




On a long side line

Aluminum — Build Specs

Elite EFF-20 Flat Top · 4' and 6'

ELITE EFF-20 FLAT TOP — 4' (48" PANEL)

GFS-AL-20-4




SPECIFICATIONS

MODEL	Elite EFF-20 · flat top · 3 rails
PICKETS	5/8" square tube · .050 wall
PICKET SPACE	3-13/16" air (1-5/8" pet panel)
RAILS	1-1/8" × 1" · .082 sides, .062 top
POSTS	2" × 2" × .060 line · routed for rails
TOP-RAIL LOAD	350 lb (Elite rating)

Panels come from Elite already assembled, so the picket spacing is factory-set, not eyeballed.

ELITE EFF-20 FLAT TOP — 6' (72" PANEL)

GFS-AL-20-6



SPECIFICATIONS

MODEL	Elite EFF-20 · flat top · 4 rails
RAILS	Four · 1-1/8" × 1" · same walls
POSTS	2" × 2" · .060, .080 or .125 wall
LARGER POST	2½" × 2½" × .100
RACKING	~6" per 6' panel standard
FINISH	Powder-coated · 7 colors

Heavier post walls are available for gates and ends. Your quote lists the size and wall of every post.

Every size on the page is Elite's.

Pickets, rails and posts, down to the wall thickness.




CALL OR TEXT · (419) 214-2107

Aluminum — Spear Top Styles

Elite EFS-10 · EFS-15

ELITE EFS-10 SPEAR TOP — 4'

GFS-AL-10-4




SPECIFICATIONS

MODEL	Elite EFS-10 · 3 rails
TOP	Every picket ends in a pressed spear
SPEAR HEIGHT	3" above the top rail
PICKETS	5/8" square tube · .050 wall · 3-13/16" air
RAILS	1-1/8" × 1" · .082 sides, .062 top
POSTS	2" × 2" × .060 line · 6'-0½" O.C.

The traditional wrought-iron look. Pickets run through the top rail and finish in a spear.

ELITE EFS-15 STAGGERED SPEAR — 4'

GFS-AL-15-4



SPECIFICATIONS

MODEL	Elite EFS-15 · 3 rails
TOP	Spears alternate high and low
SPEAR HEIGHT	3" and 4½" above the top rail
PICKETS	5/8" square tube · .050 wall · 3-13/16" air
RAILS	1-1/8" × 1" · .082 sides, .062 top
POSTS	2" × 2" × .060 line · 6'-0½" O.C.

Same panel as the spear top, with every other spear standing taller for a hand-forged look.



Spears above the top rail.

Same pickets, rails and posts as the flat top.

Aluminum — Flat Top w/ Spear

Elite EFF-25 · all four tops compared

ELITE EFF-25 FLAT TOP W/ SPEAR — 4'

GFS-AL-25-4

ELEVATION — EFF-25 · 4' · 3-RAIL · ONE 6' PANEL



SPECIFICATIONS

MODEL	Elite EFF-25 · 3 rails
TOP	Flat rail · every other picket is a spear
SPEAR HEIGHT	3" above the top rail
PICKETS	5/8" square tube · .050 wall · 3-13/16" air
RAILS	1-1/8" × 1" · .082 sides, .062 top
POSTS	2" × 2" × .060 line · 6'-0½" O.C.


A flat top rail with a spear on every other picket. Half the points of a full spear top.

ELITE TOP PROFILES COMPARED

GFS-AL-TOPS

TOP PROFILES — SAME SCALE, SAME PICKETS, RAILS AND POSTS

DASHED LINE = TOP OF THE TOP RAIL



SPECIFICATIONS

EFS-10	Spear on every picket
EFS-15	Spears alternate high and low
EFF-20	Flat top rail, no points
EFF-25	Flat rail, spear on every other picket
ALL FOUR	Same 5/8" pickets, rails and 2" posts
HEIGHTS	3' to 6' · seven colors

The style only changes what happens above the top rail. The panel under it is the same Elite build.

Four tops, one panel.

Only the top line changes from style to style.



CALL OR TEXT · (419) 214-2107


Aluminum — Components

Post, Rail & Picket Sections · Wall Thickness

COMPONENTS — WHAT IT'S MADE OF

GFS-AL-CMP

POST SECTIONS — PRINTED AT HALF SIZE



2" × 2" × .060
Standard line post

2" × 2" × .080
Heavier wall


2" × 2" × .125
Heaviest 2" wall

2½" × 2½" × .100
Larger post

POST TYPES

- **Line** — rails both sides
- **End** — rails one side
- **Corner** — rails on two faces
- **Gate** — blank face for hinge or latch
- **Blank** — no routing · brackets

RAIL & PICKET SECTIONS — PRINTED AT HALF SIZE



EFF / EFS RAIL
.082 sides · .062 top & bottom

EFF / EFS PICKET
5/8" square tube

LIFEGARD RAIL
Taller rail · same walls

LIFEGARD PICKET
¾" square tube

HOW IT GOES TOGETHER

Pickets	pass through punched holes in the rails, factory-fastened.
Panels	ship from Elite assembled.
Rails	slide into routed posts.
Trimmable	for short runs and end sections on site.
Made in	Chesterfield, MI · since 1986

ELITE SPEC BY STYLE

	EFS-10 · EFS-15 · EFF-20 · EFF-25	2-RAIL LIFEGARD
Pickets	5/8" sq. × .050	¾" sq. × .050
Picket air space	3-13/16" (1-5/8" pet panel)	Under 4"
Rails	1-1/8" × 1"	1-1/8" × 1-3/4"
Rail walls	.082 sides · .062 top	.082 sides · .062 top
Posts	2" × 2" (.060 / .080 / .125) or 2½" × .100	2" × 2" or 2½" × 2½"
Panel	6' wide · 6'-0½" O.C. on 2" posts	6' wide

These are Elite's published sizes. Both drawings print at exactly half size, wall thickness included.

Wall thickness is the number to compare.

Here's Elite's, printed at half size so you can measure it.

FREE ON-SITE ESTIMATE

SCAN THE CODE


CALL OR TEXT · (419) 214-2107

Aluminum — LifeGard & Pet Panel

2-Rail LifeGard · 1-5/8" Pet Spacing

ELITE 2-RAIL LIFEGARD — 4'

GFS-AL-LG




SPECIFICATIONS

MODEL	Elite 2-Rail LifeGard · flat top
HEIGHT	4' · 48" panel
RAILS	Two · 1-1/8" × 1-3/4"
RAIL WALLS	.082 sides · .062 top
PICKETS	¾" square tube · .050 wall
PICKET SPACE	Under 4" air

Two rails and nothing in between, so there's no midrail for a kid to use as a step.

ELITE PET PANEL — 1-5/8" SPACING

GFS-AL-PET



SPECIFICATIONS

MODEL	EFF-20 or EFF-25 pet panel
PICKET SPACE	1-5/8" air (standard is 3-13/16")
PICKETS	5/8" × .050 · ≈31 per 6' panel
RAILS	1-1/8" × 1" · .082 / .062
RACKING	Only ~1–2" per panel
HEIGHTS	Same as standard panels

It racks less than a standard panel, so tell us if your yard slopes and we will check the fit.

Two options for kids and dogs.

The pet panel closes the gap between pickets to 1⅝ inches.

FREE ON-SITE ESTIMATE

SCAN THE CODE

CALL OR TEXT · (419) 214-2107


Aluminum — Slopes & Gates

Racking · Gates

RACKING — FOLLOWING THE GRADE

GFS-AL-RAK

ELEVATION — TWO RACKED EFF-20 PANELS ON A 6" PER PANEL SLOPE



SPECIFICATIONS

STANDARD	~6" rise per 6' panel
EXTRA RACK	Up to ~16" per panel (Elite option)
PET / DOUBLE	~1–2" only
PICKETS	Stay plumb; rails tilt
STEEPER	Extra-rack panels. We never step a fence
ODD ANGLES	Blank posts with brackets

Racked panels keep the gap under the fence even on a slope, instead of a triangle under each panel.

GATES — SIZES AND HARDWARE

GFS-AL-GATE

ELEVATION — 4' SINGLE GATE, 48" OPENING



SPECIFICATIONS

SINGLE	36" · 42" · 48" · 60" · 72" wide
DOUBLE DRIVE	Two leaves for wide openings
HARDWARE	Latch and hinges included
SELF-CLOSING	Self-closing, self-latching on request
LATCH	Magnetic latch available
ARCHED	Estate and curved-top gates

Tell us what has to fit through it (a mower, a trailer, or just you) and we size the gate to that.

Panels follow your yard.

They rack with the slope, so the fence isn't stepped.

FREE ON-SITE ESTIMATE

SCAN THE CODE

CALL OR TEXT · (419) 214-2107



ALUMINUM · NEXT STEP

Ready for a price on your aluminum fence?

Free on-site estimate. We bring the Elite colors and price every post and panel.

01
Call, text or scan the code

02
We walk your yard and measure

03
You get a written quote with a 3D drawing

“We gathered several quotes and went with Ghareeb for the trust value.”

★★★★★ Jenna Spetz

(419) 214-2107

ghareebfence.com

SCAN FOR A FREE ESTIMATE

GHAREEB FENCING SOLUTIONS · BUILT STURDY. BUILT STRAIGHT. BUILT TO LAST.



05

SPLIT RAIL

Split Rail

Northern White Cedar and pressure-treated split rail, with or without pet wire.

Split Rail — Two Ways to Build It

Pressure-treated (darker) · Northern White Cedar (lighter)

SPLIT RAIL — TWO WAYS TO BUILD IT

GFS-SR-CHOICE

YOUR CHOICE OF TWO BUILDS

PRESSURE-TREATED — THE DARKER ONE







POST RAIL

Color	Darker brown
Posts	Rectangular, sawn
Rails	Diamond-cut
Wood	Pressure-treated lumber

NORTHERN WHITE CEDAR — THE LIGHTER ONE







POST RAIL

Color	Lighter, natural
Posts	Round, peeled
Rails	Half-round
Wood	Sourced from Michigan mills

THE SAME ON BOTH

10'-0"	12 · 30 · 48"	36" or 48"	No nails
SECTION, POST TO POST	RAIL CENTERS, 3-RAIL	WIRE ROLL, IF YOU WANT IT	RAILS LOCK IN THE POST

Both builds use mortised posts: the rail ends slide through the post. Either one can carry 2" × 4" welded wire for pets.

Not sure which you are looking at? Dark with rectangular posts is pressure-treated. Light with round posts is Northern White Cedar.

Full drawings and dimensions for both are on the split rail build-spec page.

Pick the look.

Both use mortised posts, with no nails holding the rails in.

FREE ON-SITE ESTIMATE

SCAN THE CODE

CALL OR TEXT · (419) 214-2107

Split Rail — Both Builds in 3D

Northern White Cedar · pressure-treated with pet wire

SPLIT RAIL STYLE LIBRARY

GFS-SR-LIB

TWO BUILDS — 3-RAIL, 10' SECTIONS · RENDERED FROM OUR ESTIMATING SOFTWARE



Northern White Cedar — CEDAR

Round peeled posts · half-round rails · The lighter one · sourced from Michigan mills



Pressure-Treated with Pet Wire — PT + WIRE

Rectangular sawn posts · diamond rails · The darker one · 2" × 4" black welded wire on the yard side

Either build comes with or without wire. Rails lock into mortised posts, with no nails.

Lighter or darker.

Round posts are cedar. Rectangular posts are pressure-treated.

FREE ON-SITE ESTIMATE

SCAN THE CODE

CALL OR TEXT · (419) 214-2107

Split Rail — Pet Wire & Gates

Welded Wire · Walk Gates · Double Drive Gates

SPLIT RAIL

GFS-SR-PET

PET WIRE & GATES · SHOWN IN NORTHERN WHITE CEDAR




Northern White Cedar: walk gate and corner, with wire
Gate built from the same rails, X-braced so it stays square





Cedar double drive gate · long run
Two leaves for a wide opening



X-braced gate
Diagonal brace keeps the leaf from sagging



Wire to the ground
Bottom board under the lowest rail



Wire on every section
Runs behind each rail, post to post

Wire goes on the yard side: from the street it still looks like plain split rail, and a dog pushing on it pushes it into the rails.

Ask for a bottom board if your dog digs. It closes the gap between the wire and the ground.

Keeps the dog in.

Still looks like split rail from the street.

FREE ON-SITE ESTIMATE

SCAN THE CODE

CALL OR TEXT · (419) 214-2107


Split Rail — Build Specs

Cedar Split Rail · PT with Pet Wire


CEDAR SPLIT RAIL — ROUND POST & RAIL

GFS-SR-CED

ELEVATION — 3-RAIL · ONE 10' SECTION



MORTISE DETAIL



SPECIFICATIONS


SPECIES	Northern White Cedar
RAILS	2-rail (3 ft) or 3-rail (4 ft)
RAIL CENTERS	12" · 30" · 48" (3-rail)
POSTS	Round, mortised · 4½" line, 5" ends
SECTIONS	10'-0" O.C.
JOINERY	Tapered rails, no nails or brackets

Round cedar posts and rails. The tapered rail ends lock into the post, so there's no hardware to rust.

PT SPLIT RAIL — WITH PET WIRE OPTION

GFS-SR-PT

ELEVATION — 3-RAIL · ONE 10' SECTION



MORTISE + WIRE



SPECIFICATIONS

WOOD	Pressure-treated, sawn
RAILS	2-rail (3 ft) or 3-rail (4 ft)
POSTS	Sawn, mortised · line posts ~3¼" × 6"
SECTIONS	10'-0" O.C.
WIRE	2"×4" welded, 14 ga, 100-ft rolls
WIRE FINISH	Galvanized, black or green coated

The wire goes on the inside face. From the street it still looks like plain split rail; from the yard it holds the dog.

Two kinds, both mortised.

Round cedar or sawn PT on 10-ft sections, with the 2"×4" wire option spelled out before we set a post.

FREE ON-SITE ESTIMATE


SCAN THE CODE

CALL OR TEXT · (419) 214-2107

RECENT INSTALLS

Split Rail Gallery


Pressure-treated and Northern White Cedar, with gates and pet wire.



Pressure-treated split rail, three rails



Cedar split rail with wire



Cedar split rail with X-braced gates



Split rail with welded wire

Split rail with wire and gates

Northern White Cedar, on back yards and open lots



Split rail gate with wire



Three rails with welded wire



Split rail with wire and a gate



Ready for a price on your split rail fence?

Free on-site estimate. Cedar or pressure-treated, with or without pet wire.

01
Call, text or scan the code

02
We walk your yard and measure

03
You get a written quote with a 3D drawing

“even thought of our dogs making sure they would be able to come out if needed while he worked.”


★★★★★ **Marissa Barnes**

(419) 214-2107

ghareebfence.com

SCAN FOR A FREE ESTIMATE

GHAREEB FENCING SOLUTIONS · BUILT STURDY. BUILT STRAIGHT. BUILT TO LAST.



06

CHAIN LINK

Chain Link

Galvanized and black vinyl-coated chain link, 4' to 6', with top rail on every run.

Chain Link Fencing

Galvanized · Black Vinyl-Coated

CHAIN LINK

GFS-CL-GAL

GALVANIZED









Residential galvanized, with walk and drive gates
Top rail on every run, terminal posts at the ends and gates

BLACK VINYL-COATED





Black-coated fabric and framework
Same build, black from post caps to fittings

4' – 6'	10'-0"	1-3/8"	Add-on
HEIGHTS	POST SPACING	TOP RAIL, STANDARD	BOTTOM TENSION WIRE

WHERE IT FITS

Budget	The lowest cost per foot of anything we install.
Pets	See-through, and it holds a dog. Add bottom tension wire if yours pushes under.
Winter	We install through the winter, frozen ground included.

Full sizes for posts, rails and fittings are on the chain link build-spec page.

The budget option, built right.

Top rail standard, bottom tension wire if you want it.

FREE ON-SITE ESTIMATE

SCAN THE CODE

CALL OR TEXT · (419) 214-2107


Chain Link — Both Finishes in 3D

Galvanized · black vinyl-coated

CHAIN LINK STYLE LIBRARY


GFS-CL-LIB

TWO FINISHES — 4' SHOWN, 10' POST SPACING · RENDERED FROM OUR ESTIMATING SOFTWARE



Galvanized Chain Link — GALV

1-5/8" line posts · 2-3/8" terminal posts · 1-3/8" top rail on every run



Black Chain Link — BLACK

Black vinyl-coated fabric and framework · Same post and rail sizes as galvanized

Built 4' to 6' high. Bottom tension wire is an add-on at extra cost.

Same build, two finishes.

Top rail on every run.

FREE ON-SITE ESTIMATE

SCAN THE CODE

CALL OR TEXT · (419) 214-2107

Chain Link — Build Specs

Galvanized · Black Vinyl-Coated

GALVANIZED CHAIN LINK

GFS-CL-G

ELEVATION — GALVANIZED · 4' FABRIC · ONE 10' SECTION



SPECIFICATIONS


FABRIC	2" diamond mesh · hot-dip galvanized
LINE POSTS	1-5/8" steel · 10'-0" O.C.
TERMINALS	2-3/8" at ends, corners and gates
GATE POSTS	2-7/8" for double or over-6' gates
TOP RAIL	1-3/8" continuous · standard
BOTTOM WIRE	Tension wire · add-on, extra cost
HEIGHTS	4' to 6'

The top rail is standard. A bottom tension wire is an add-on if you want the bottom of the fabric pulled tight.

BLACK VINYL-COATED CHAIN LINK

GFS-CL-V

ELEVATION — BLACK VINYL-COATED · 4' FABRIC · ONE 10' SECTION



SPECIFICATIONS

FINISH	Black vinyl over galvanized steel
FABRIC	2" diamond mesh · black
FRAMEWORK	Posts, rail and fittings black-coated
POST SIZES	Same: 1-5/8" line · 2-3/8" terminal
TOP RAIL	1-3/8" · standard
BOTTOM WIRE	Tension wire · add-on, extra cost
HEIGHTS	4' to 6'

Same build, black from top to bottom. It fades into the yard instead of shining in it.

Even the budget option gets a spec sheet.

Compare it line for line against any other bid.

FREE ON-SITE ESTIMATE

SCAN THE CODE

CALL OR TEXT · (419) 214-2107

RECENT INSTALLS

Chain Link Gallery

Black vinyl-coated and galvanized chain link.



Black chain link on a long run



Black chain link with a walk gate



Galvanized chain link with a top rail



Black chain link, close up

YEAR-ROUND · WINTER INSTALLS

We install all winter

Driven posts go into frozen ground. No waiting for spring.



White vinyl privacy



Black aluminum along the arborvitae



Black aluminum around a pool



Black chain link at a business



Black aluminum, corner panel



Galvanized chain link

FENCE TYPE COMPARISON

Choose the Right Fence

Four see-through fences side by side: lifespan and upkeep

BUDGET	RUSTIC	BETTER	BEST
Chain Link	**Cedar Split Rail**	**Vinyl Chain Link**	**Ornamental Aluminum**
20-30 YEARS	**15-30** YEARS	**25-35** YEARS	**30+** YEARS
✓ Lowest cost	✓ Real wood	✓ Rust resistant	✓ No painting or staining
✓ Easy repairs	✓ Fits open lots	✓ Black blends into the yard	✓ Never rusts
✗ Plain look	✗ Weathers over time	✗ Still chain link	✓ Limited lifetime warranty
✗ Can rust	✗ Add wire for pets	✗ Few color options	✓ Many styles


Why Aluminum Costs More

Elite aluminum, made in Chesterfield, Michigan: 5/8" square pickets, rails with .082" side walls, and a powder coat that won't rust or need paint.

5/8"	350 lb	Lifetime
Square pickets	Top-rail load	Limited warranty









Ready for a price on your chain link fence?

Free on-site estimate. Galvanized or black, 4' to 6'.

01
Call, text or scan the code

02
We walk your yard and measure

03
You get a written quote with a 3D drawing

“The workers are very nice and they work extremely hard nonstop. I definitely recommend”

★★★★★ **Dashawn Nickson**

(419) 214-2107

ghareebfence.com

SCAN FOR A FREE ESTIMATE

GHAREEB FENCING SOLUTIONS · BUILT STURDY. BUILT STRAIGHT. BUILT TO LAST.



07

WORKING WITH US

From Estimate to Final Walkthrough

How we check the work, what the warranty covers, and how to get started.

Three Checkpoints on Every Job

We check the job three times, and you can follow along in your portal

1

PRE-INSTALL

- ✓ Property lines verified
- ✓ 811 utility locates marked
- ✓ Materials inspected on arrival
- ✓ Site documented with photos

IN YOUR PORTAL

- Permits pulled
- Materials confirmed
- 811 locates logged
- Crew assigned

2

DURING INSTALL

- ✓ Post depth verified
- ✓ Every run checked for level
- ✓ Gate swing tested
- ✓ Progress photos uploaded

IN YOUR PORTAL

- Layout confirmed
- Gates verified
- Property lines held
- Your sign-off

3

FINAL WALKTHROUGH

- ✓ Complete inspection with you
- ✓ Hardware checked and adjusted
- ✓ Gates adjusted
- ✓ Site cleaned, debris hauled

IN YOUR PORTAL

- Full inspection
- Hardware tested
- Clean-up done
- Final sign-off

Photos at every stage, and your sign-off before we call it done.










Local Fence Rules

Height limits · permits · what towns ask for

FENCE RULES AT A GLANCE

GFS-RULES-1

WHERE THE HEIGHT LIMITS USUALLY CHANGE · PLAN VIEW, TYPICAL LOT



READING THE DRAWING

Side and rear fence
Usually up to 6'. Privacy styles go here.

Front yard fence
Usually 3½' to 4'. Some towns ask for an open style.

Property line
Most towns let you build on your side of it.

RULES NEARLY EVERY TOWN SHARES

Good side out
Posts and rails face your yard, the finished face faces the neighbor.


Corner lots
Both street sides can count as front yards.

Pools
A barrier of about 4' with a self-closing, self-latching gate.

Utilities
811 locate before any post goes in. We call it in.

HOAs
Deed and HOA rules can be stricter than the town's.

HEIGHTS SIDE BY SIDE · ELEVATION



FRONT YARD
Toledo, Sylvania, Rossford, Bedford Twp, Maumee (open styles)

FRONT YARD
Perrysburg, Oregon, Springfield Twp, Sylvania Twp (open styles)

POOL BARRIER
Typical minimum, with a latching gate

SIDE & REAR
Standard privacy height

Typical limits only. The next two pages list what each community publishes.

Most towns follow the same pattern.

Low in the front yard, up to six feet at the side and rear.



Fence Rules — Ohio Cities

Toledo · Oregon · Perrysburg · Rossford · Sylvania

LOCAL FENCE RULES — OHIO CITIES

GFS-RULES-2

WHAT EACH CITY PUBLISHES · RESIDENTIAL LOTS · CHECKED NOVEMBER 2026

COMMUNITY	PERMIT	FRONT YARD	SIDE YARD	REAR YARD	ALSO WORTH KNOWING
Toledo toledo.oh.gov · fences	**Zoning certificate** required for every fence	3½'	6'	6'	Corner lots have two front yards. Finished side faces out. Can sit on the property line.
Oregon Code §1155.02	**Ask the city** before you build	4' in the required front yard	6'	6'	Can sit on the property line. No barbed or electric fence on residential lots.
Perrysburg City zoning code	**Permit required**	4' 6' needs board approval	4' 6' needs board approval	6'	No chain link in the front yard. Set 4" inside the property line. Finished side faces out.
Rossford Code §1134.04	**Permit required** for every fence	42"	6'	6'	Open styles only in the front yard. Set 4" inside the property line. Finished side faces out.
Sylvania Code §1117.08	**Zoning permit**	3½'	4' beside the house	7'	Keep corners clear at intersections. From the code posted on the city's site. Confirm the current edition.

Codes change and lots differ. We confirm the rules for your address before we build.

We pull the permit.

It is built into every quote, and we check the rules for your address first.



CALL OR TEXT · (419) 214-2107

Fence Rules — Townships & Michigan

Maumee · Waterville · townships · Bedford Twp, MI

LOCAL FENCE RULES — TOWNSHIPS & MICHIGAN

GFS-RULES-3

WHAT EACH COMMUNITY PUBLISHES · RESIDENTIAL LOTS · CHECKED NOVEMBER 2026

COMMUNITY	PERMIT	FRONT YARD	SIDE YARD	REAR YARD	ALSO WORTH KNOWING
Waterville City new-resident FAQ	**No fence permit,** per the city's FAQ	– not set in the city code	–	–	36" maximum at intersection corners. Zoning Inspector: 419-878-8132. We confirm with the city first.
Maumee Code §1142.03	**Zoning Administrator** approval	3' solid · 3½" open styles	6'	6'	Can sit on the property line. Finished side faces out. Pool fence: 4' minimum.
Springfield Twp Zoning Res. §1904 · Holland area	**Zoning certificate** required	4'	6'	6'	Corner lots: 4' along both streets. Can sit on the property line. Keep 1' off a public sidewalk.
Perrysburg Twp Zoning Res. Art. VII §J	**Ask the township** before you build	4'	4' beside the house	7'	Good side faces the neighbor. Keep 30' clear at street corners.
Sylvania Twp Zoning Res. §1307	**Zoning permit** required	3' solid · 4' open styles	6'	6'	Finished side faces out. Can sit on the property line. Pool fence: 3½' min, locking gate.
Bedford Twp, MI Zoning Ord. §400.1912	**No building permit** for a fence	3½' decorative styles only	6'	6'	Temperance and Lambertville. Posts go on your side. Can sit on the property line.

WHAT WE HANDLE FOR YOU

Permits	We pull and handle the permit. It is built into every quote.
Utilities	We call in the 811 locate and log it before the first post.
Layout	We walk the line with you and mark gates before we start.
Not listed?	Monroe, Northwood, Ottawa Hills, Monclova and others: we check your town the same way.
Helps to have	A survey or plot plan, your HOA rules if you have them, and where you want gates.

A summary, not legal advice. Your zoning office has the final word, and HOA rules can be stricter.

A summary, not legal advice.

Your zoning office has the final word.



CALL OR TEXT · (419) 214-2107

Backed by a Written Warranty

A written workmanship warranty, manufacturer coverage on materials, and claims handled by the owner

3

YEAR WORKMANSHIP WARRANTY

If something we built isn't right, we come back and fix it. You deal with the owner, not a call center.

WHAT'S COVERED

- ✓ Post setting & alignment
- ✓ Panel and picket installation
- ✓ Gate installation & operation
- ✓ Rails, framework, fasteners

MATERIAL QUALITY

Homeland vinyl and Elite aluminum carry the manufacturers' limited lifetime warranties. Cedar and PT are built to our 3-year workmanship warranty.

EASY CLAIMS Submit through the portal or just call.

You Talk to the Owner

Not a call center

Clean Job Site

We clean up every day and haul off the debris

Our Own Crew

The same people from start to finish


Clear Scheduling

Install dates confirmed before we start









WORKING WITH US · IN THEIR WORDS

“ We have nothing to say but amazing things about Ghareeb Fencing! We were so undecided about what we needed/wanted for our awkward lot(s) and Nick was SUPER patient. He talked us through each option and listened to my endless rants. We gathered several quotes and went with Ghareeb for the trust value. Their team provided outstanding communication and made the process seamless. Highly recommend!”

★★★★★ JENNA SPETZ

WHAT OTHER CUSTOMERS WROTE

“What impressed me most was how he worked within our budget constraints to find the best possible option without compromising on quality.”

★★★★★ ROY GENE PALMER III

“Price was very competitive and the job was completed on budget and on schedule.”

★★★★★ JOSH SMITH

“Amazing to work with! gave a great quote & we're able to get our fence up quickly.”

★★★★★ MARISSA BARNES

(419) 214-2107

CALL OR TEXT · FREE ON-SITE ESTIMATE

Every review is public and quoted word for word.
Find them on Google, Facebook and the BBB.

Client Portal

Your quote, 3D drawing, photos, payments and signature in one place. No app to download.

YOUR FENCE, DRAWN BEFORE IT IS BUILT



A 3D drawing of your fence comes with your quote.

Rendered from our estimating software. Shown: cedar cap and trim.

Log in with your job number

No password to remember.

View your proposal

Complete quote with materials and pricing.

Track progress

Photos from each installation stage.

ALSO IN YOUR PORTAL

Easy payments

Pay securely with card or bank transfer.

Digital signature

Sign contracts electronically.

One place for everything

Open it from any phone or computer.

ACCESS YOUR PORTAL ANYTIME

portal.ghareebfence.com

Secure payments · Digital receipts · E-signatures

Everything about your job in one place.

This is the real sign-in screen. Open it with your job number and the last name on your quote.



CALL OR TEXT · (419) 214-2107

What Our Customers Say

Real reviews from Google, Facebook & BBB — reproduced word for word

★★★★★ **Roy Gene Palmer III**

Excellent Work and Great Customer Service

Nick did an outstanding job installing our traditional cedar picket fence. From the start, he was incredibly patient in working through the details of our project and offered several creative solutions when we encountered challenges with our property layout.

What impressed me most was how he worked within our budget constraints to find the best possible option without compromising on quality. The finished fence looks fantastic - the craftsmanship is top-notch and you can tell Nick takes pride in his work.

His communication throughout the project was excellent, and he was always willing to explain his recommendations and answer our questions. I'd definitely recommend Nick to anyone looking for a reliable fence contractor who delivers quality work at a fair price.

★★★★★ **Josh Smith**

Hired Nick and Ghareeb Fencing solutions. We opted for a cedar privacy fence. Nick knocked it out of the park. Price was very competitive and the job was completed on budget and on schedule. They left the yard in clean state and were happy to talk to the neighbors about what to expect with the install. 10/10 would recommend again

The fence has been up for about 6 months through winter and looks as good as when he installed it.

★★★★★ **Dashawn Nickson**

I just got my fence done today June 6, 2025 and let me say this is a five star Fencing service complete my entire yard within two days always on schedule always answer calls reasonable prices. The workers are very nice and they work extremely hard nonstop. I definitely recommend

---

★★★★★ **Jenny Wilhelm Pfeiffer**

Nicholas was amazing to work with! Nicholas was very knowledgeable and patient with us with our decision making. He did not push vinyl on us knowing that wasn't what we wanted, unlike the other companies that quoted us. Our fencing was built from scratch, no pre-made fencing here! We cannot say enough good things about this business and the gentleman that he had working with him on our project. All of his employees were very kind and respectful. 100% a customer for life and absolutely recommend if you are looking for new fencing! Oh and he beat his competitors by over $1000.00!!!! Thank you so much for our amazing fence!

★★★★★ **Theresa C.**

Had around 230 linear feet of white vinyl fence installed 6/25/25. They finished the job the next day. Nicholas and his team were wonderful. From beginning to end. From the communication to the product and the install. If you need a fence you don't have to look any further. I highly recommend.

★★★★★ **Jenna Spetz**

We have nothing to say but amazing things about Ghareeb Fencing! We were so undecided about what we needed/wanted for our awkward lot(s) and Nick was SUPER patient. He talked us through each option and listened to my endless rants. We gathered several quotes and went with Ghareeb for the trust value. Their team provided outstanding communication and made the process seamless. Highly recommend!

★★★★★ **Marissa Barnes**

Amazing to work with! gave a great quote & we're able to get our fence up quickly. even thought of our dogs making sure they would be able to come out if needed while he worked. cannot recommend them enough!

Every review above is public — find them on Google, Facebook, and the BBB.

Frequently Asked Questions

Straight answers up front — and a real person at (419) 214-2107 for the rest

Q. How long does installation take?

Most residential fences go up in 1–3 days, and we install all winter — we can drive posts into frozen ground. The crew cleans up daily.

Q. Do I need a permit?

Most local zoning requires one. We pull and handle permits for you — it's built into every quote.

Q. Do you offer financing?

Yes — financing is available for qualifying customers. Ask us for current terms and rates.

Q. What's the warranty?

Three years on workmanship from us, plus the manufacturers' limited lifetime warranties on Homeland vinyl and Elite aluminum.

Q. Do I need to be home during the install?

No — but we recommend being there for the first and final walkthroughs so you and the crew stay on the same page.

Q. What areas do you serve?

Northwest Ohio & Southeast Michigan — Toledo, Perrysburg, Maumee, Sylvania, Monroe, Temperance, and nearby.

More questions? Call or text (419) 214-2107 · ghareebfence.com — we're happy to help.













What's Actually in Your Quote

The lowest number isn't always the lowest price. Here's what we spell out — and what's easy to leave off a cheaper bid.

IN EVERY GFS QUOTE	EASY TO LEAVE OFF A BID
✓ Post type, size, and depth *(in writing)*	✗ “Posts in concrete” with no depth listed
✓ Cedar species and grade, in writing	✗ Lumber just called “cedar” — which grade?
✓ Steel or aluminum gate frames and hardware	✗ Gate hardware added on later
✓ Post foundation matched to your soil	✗ One method for every yard, clay or sand
✓ Full grading and cleanup, debris hauled	✗ Grading and cleanup billed separately
✓ Permits pulled and handled	✗ “Permit is your responsibility”
✓ 3-year written workmanship warranty	✗ A verbal warranty only
✓ One accountable crew, owner on site	✗ Subcontractors, no single point of contact

Missing any of these? Then it isn’t cheaper. It just covers less. Ask for each one in writing before you compare prices.

Payment & Financing

How to pay, and how financing works

Payment Options

Credit & Debit Cards

Visa, Mastercard, Amex, Discover

Bank Transfer / ACH

Direct electronic payment

Cash & Check

Both are fine

Venmo

Send it from your phone

Financing Available

Spread payments over time — monthly plans for qualifying customers.

- ✓ Quick online application
- ✓ Monthly payment plans
- ✓ For qualifying customers
- ✓ Ask us for current rates
- ✓ Terms set by the lender

Scan for your client portal

View proposals, sign digitally, and pay — from any device.

portal.ghareebfence.com

Standard terms: 50% deposit at contract, 50% at completion.

✓ **Secure payments** ✓ **Digital receipts**
✓ **Mobile-friendly** ✓ **E-signatures**









How to Get Started

What happens from your first call to the final walkthrough

1

FREE ESTIMATE

Call or text to set up a free estimate. We walk the yard with you, measure, and answer your questions. No commitment.

2

WRITTEN QUOTE

Usually within a day or two, your quote shows up in the client portal with exact materials, line-item pricing and a timeline.

3

SIGN AND SCHEDULE

Review and sign digitally. Make your deposit by card, check, cash, ACH, or Venmo — and we pull the permits.

4

INSTALLATION

Our crew builds the fence, cleans up every day, and walks the finished job with you before we call it done.

Call or text: (419) 214-2107

Free estimates · Financing available · 3-year workmanship warranty

ghareebfence.com

YOUR ESTIMATE

Jot down the details from your visit.

PREPARED FOR

ADDRESS

VISIT DATE

ESTIMATOR

STYLES WE TALKED ABOUT

LENGTH (FT)

HEIGHT · GATES

PROPOSAL # IN YOUR PORTAL

SKETCH YOUR YARD

House, gates, trees, and where the property pins are.

GHAREEB FENCING SOLUTIONS

BUILT STURDY. BUILT STRAIGHT. BUILT TO LAST.

SOUTHEAST MICHIGAN | NORTHWEST OHIO

(419) 214-2107

ghareebfence.com

portal.ghareebfence.com

Serving Northwest Ohio & Southeast Michigan

Toledo · Perrysburg · Maumee · Sylvania · Monroe · Temperance

4.9 ★★★★★ on Google 27 REVIEWS

LICENSED & INSURED

GHAREEB FENCING SOLUTIONS 3 YEAR WORKMANSHIP WARRANTY

BBB ACCREDITED BUSINESS

★★★★★

"If you need a fence you don't have to look any further."

— Theresa C., customer review

Thanks for considering us.

SCAN FOR A FREE ESTIMATE

Or call or text (419) 214-2107