# GHAREEB FENCING SOLUTIONS

BUILT STURDY. BUILT STRAIGHT. BUILT TO LAST.

SOUTHEAST MICHIGAN | NORTHWEST OHIO

**Family-Owned Since 2022**

OPEN FENCING · ALUMINUM, RAIL & CHAIN LINK



**WE INSTALL ALL WINTER**

4.9 ★★★★★ on Google 27 REVIEWS

LICENSED & INSURED

GHAREEB FENCING SOLUTIONS 3 YEAR WORKMANSHIP WARRANTY

BBB ACCREDITED BUSINESS

## (419) 214-2107

CALL OR TEXT · ghareebfence.com

# Toledo's Trusted Fence Professionals









## Why People Hire Us

### THE OWNER BUILDS FENCES

Nick has installed hundreds of fences himself. He's the one who walks your yard and prices your job.

### OUR OWN CREW

The same crew starts and finishes your fence. We don't sub the work out.

### FOLLOWS YOUR YARD

Elite panels rack to follow a slope, so the fence isn't stair-stepped and there are no big gaps underneath.

### MICHIGAN-MADE MATERIALS

Elite aluminum from Chesterfield, Michigan. Cedar split rail from Michigan mills.

### EVERYTHING IN WRITING

Your quote lists the price, the exact materials and the scope of work. That's what you pay.

### 3-YEAR WARRANTY

Three years on our workmanship, plus the manufacturer's warranty on vinyl and aluminum. If something's wrong, we come back and fix it.



### A NOTE FROM THE OWNER

When you hire us, you get me. My name is on the company, and I'm the one who comes out to look at your yard and price your fence. We're a small family business in Toledo. A lot of our work comes from someone seeing a fence we built down the street, so we build every one like the neighbors are watching. Thanks for giving us a look.

*Nicholas* — Owner & Installer



# What's inside


| | | |
|---|---|---|
| 01 | **Why homeowners choose us** | 02 |
| | Good, better, best at a glance | 04 |
| 02 | **Aluminum** | 07 |
| | Vinyl picket & ranch rail | 20 |
| 03 | **Split rail** | 25 |
| 04 | **Chain link** | 33 |
| | Local fence rules, town by town | 41 |
| | Warranty | 44 |
| | Customer reviews | 47 |
| | Getting started | 51 |


**Free estimates. Call or text (419) 214-2107, or scan to start yours.**

SCAN FOR A FREE ESTIMATE

# Good, Better, Best

**Every fence we build · three tiers**

## GOOD · BETTER · BEST AT A GLANCE

GFS-TIERS

EVERY FENCE WE BUILD, IN THREE TIERS

| | GOOD | BETTER | BEST (RECOMMENDED) |
|---|---|---|---|
| **Wood** THE LUMBER | **Pressure-treated pine**<br>Up to about 15 years<br>Lowest-cost wood | **Western Red Cedar**<br>15–30 years<br>Our standard cedar | **Northern White Cedar**<br>15–30 years<br>Grown and milled in Michigan |
| **Wood** THE STYLE | **Dog-ear privacy**<br>90–95% privacy<br>$ | **Shadowbox**<br>70–85% privacy, good airflow<br>$$ · finished both sides | **Board-on-board**<br>100% privacy, no gaps<br>$$$ · finished both sides |
| **Vinyl** PRIVACY | **Kingston solid**<br>White, Tan or Adobe<br>No painting or staining | **Kingston with a topper**<br>Lattice or spindle top<br>Same 70" finish height | **Rockport woodgrain**<br>Homewood woodgrain finish<br>Mocha Walnut and three more |
| **Open** SEE-THROUGH | **Galvanized chain link**<br>20–30 years<br>Lowest cost per foot | **Black chain link**<br>25–35 years<br>Vinyl-coated, rust resistant | **Elite aluminum**<br>30+ years, never rusts<br>Limited lifetime warranty |

HOW TO USE THIS PAGE

**01 Circle a tier in each row**
Pick what you are leaning toward. It does not have to be the same tier in every row.

**02 Ask for all three on one quote**
We can price good, better and best for your yard so the difference is in dollars, not guesses.

**03 Compare them in your portal**
Your quote and a 3D drawing of your fence are there to look over at home.

Split rail comes two ways, pressure-treated or Northern White Cedar. See the split rail pages.

## Start here.

Circle a tier in each row and bring it to your estimate.



CALL OR TEXT · (419) 214-2107

FENCE TYPE COMPARISON

# Choose the Right Fence

Four see-through fences side by side: lifespan and upkeep

| BUDGET | RUSTIC | BETTER | BEST |
|---|---|---|---|
| **Chain Link** | **Cedar Split Rail** | **Vinyl Chain Link** | **Ornamental Aluminum** |
| **20-30** YEARS | **15-30** YEARS | **25-35** YEARS | **30+** YEARS |
| ✓ Lowest cost | ✓ Real wood | ✓ Rust resistant | ✓ No painting or staining |
| ✓ Easy repairs | ✓ Fits open lots | ✓ Black blends into the yard | ✓ Never rusts |
| ✗ Plain look | ✗ Weathers over time | ✗ Still chain link | ✓ Limited lifetime warranty |
| ✗ Can rust | ✗ Add wire for pets | ✗ Few color options | ✓ Many styles |


## Why Aluminum Costs More

Elite aluminum, made in Chesterfield, Michigan: 5/8" square pickets, rails with .082" side walls, and a powder coat that won't rust or need paint.

| 5/8" | 350 lb | Lifetime |
|---|---|---|
| Square pickets | Top-rail load | Limited warranty |







# Open Fence — Good, Better, Best

**Chain link · black chain link · Elite aluminum**

## OPEN FENCE — GOOD · BETTER · BEST

GFS-O-TIER

THREE WAYS TO FENCE A YARD YOU CAN SEE THROUGH

### GOOD



**Galvanized Chain Link**

The budget option

| | |
|---|---|
| LIFESPAN | 20–30 years |
| COST | Lowest per foot |
| HEIGHTS | 4' to 6' |
| TOP RAIL | Standard |

BEST FOR
**Pets and tight budgets**

### BETTER



**Black Chain Link**

Vinyl-coated

| | |
|---|---|
| LIFESPAN | 25–35 years |
| FINISH | Black, rust resistant |
| HEIGHTS | 4' to 6' |
| TOP RAIL | Standard |

BEST FOR
**Chain link that blends in**

### BEST

RECOMMENDED



**Elite Aluminum**

Ornamental

| | |
|---|---|
| LIFESPAN | 30+ years |
| FINISH | Powder coat, 7 colors |
| UPKEEP | No painting, never rusts |
| WARRANTY | Limited lifetime |

BEST FOR
**Front yards and pools**

### GOOD TO KNOW

| | |
|---|---|
| **Chain link** | Top rail is standard. Add a bottom tension wire if your dog pushes under. |
| **Aluminum** | Panels rack to follow a slope. Seven powder-coat colors. |
| **Vinyl picket** | White picket and ranch rail for front yards. See the vinyl pages. |

### MORE OPEN STYLES



**Split Rail**
Cedar or pressure-treated



**Split Rail + Pet Wire**
Welded wire keeps a dog in



**Aluminum Pet Panel**
1⅜" between pickets

**Ask for good, better and best on one quote.**
We can price all three, plus any upgrade, so you can compare them side by side.

(419) 214-2107



## See-through fences, three ways.

Lifespans and finishes side by side.

CALL OR TEXT · (419) 214-2107



01

ELITE ALUMINUM

# Ornamental Aluminum

Made in Chesterfield, Michigan. Powder-coated, pre-assembled panels on 2" aluminum posts.


# Ornamental Aluminum

**Spear · Staggered · Flat · Flat w/ Spear · LifeGard · Pet**

## ORNAMENTAL ALUMINUM STYLES


GFS-AL-STY

ELITE RESIDENTIAL STYLES — DRAWN TO SCALE, 4' HEIGHT




### Spear Top — EFS-10

Every picket runs through the top rail
and ends in a pressed spear.
3 rails · 5/8" pickets · 3-13/16" air
3' to 6'




### Staggered Spear — EFS-15

Spears alternate high and low
for a hand-forged look.
3 rails · 5/8" pickets · 3-13/16" air
3' to 6'




### Flat Top — EFF-20

Pickets stop inside a flat,
beveled top rail. Our most common.
3 rails (4 at 6') · 5/8" pickets
3' to 6'




### Flat Top w/ Spear — EFF-25

Flat top rail with every other
picket rising to a spear.
3 rails · 5/8" pickets · 3-13/16" air
3' to 6'



### 2-Rail LifeGard — LIFEGARD

Two rails, nothing in between.
¾" pickets on a taller rail.
1-1/8" × 1-3/4" rails
4'



### Pet Panel — 1-5/8" AIR

Twice the pickets, half the gap.
For small dogs.
1-5/8" air · racks only ~1–2"
On EFF-20 / EFF-25

Most styles can also be ordered with the pickets running through the bottom rail.

## Six Elite styles.

All set on the same 2" aluminum posts, in any of seven colors.



CALL OR TEXT · (419) 214-2107

# Aluminum — Styles in 3D

**Six Elite styles · 4' shown in black**

## ALUMINUM STYLE LIBRARY

GFS-AL-LIB

ELITE ALUMINUM — 4' SHOWN IN BLACK · RENDERED FROM OUR ESTIMATING SOFTWARE



**Spear Top** EFS-10

Every picket ends in a spear · 3 rails · 5/8" pickets



**Staggered Spear** EFS-15

Spears alternate high and low · 3 rails · 5/8" pickets



**Flat Top** EFF-20

Flat top rail, our most common · 3 rails (4 at 6')



**Flat Top w/ Spear** EFF-25

Scale drawing, 3D model still to come · Spear on every other picket



**2-Rail LifeGard** LIFEGARD

Two rails, nothing in between · ¾" pickets · 1-3/4" rails



**Pet Panel** 1-5/8" AIR

Twice the pickets, half the gap · On EFF-20 or EFF-25

Six-foot panels on 2" posts, shown in black. Every style comes in all seven Elite colors.

## The same models you see in your quote.

Pick the top you like, then pick the color.



CALL OR TEXT · (419) 214-2107

# Aluminum — Colors & Details

**7 Powder-Coat Colors · Finials · Full-Size Spacing**

## COLORS, ACCESSORIES & SPACING

GFS-AL-CLR

### POWDER-COAT COLORS — ELITE STANDARD





Beige, Walnut Brown and Hartford Green aren't made in the 2" × .060 post, so those colors use a heavier-wall post. Printed colors are close, not exact: ask to see a real sample.

### ACCESSORIES — POWDER-COATED TO MATCH, OR GOLD




Also available: post caps, magnetic self-latching gate latches, and floor flanges for mounting on concrete.

### PICKET SPACING — PRINTED AT ACTUAL SIZE




**STANDARD**
3-13/16" between 5/8" pickets

**PET PANEL**
1-5/8" between pickets

Hold a tape measure to the spacing above. Printed at actual size, so the gap you see is the gap you get.

## Powder coat, not paint.

Elite's lifetime warranty covers peeling and cracking.



# Aluminum — Elite Colors

**Seven powder-coat colors · made in Michigan**

## ELITE ALUMINUM COLORS

GFS-AL-COL

THE ELITE COLOR RANGE · SEVEN POWDER-COAT COLORS

| Black | Quaker Bronze | White | Sandstone | Beige | Walnut Brown | Hartford Green |
|---|---|---|---|---|---|---|
| 01 / 07 | 02 / 07 | 03 / 07 | 04 / 07 | 05 / 07 | 06 / 07 | 07 / 07 |
| | | | | Heavier post wall | Heavier post wall | Heavier post wall |

INSTALLED IN THE TOLEDO AREA







| | |
|---|---|
| **Finish** | Powder-coated at the Elite factory in Chesterfield, Michigan. No painting, ever. |
| **Posts** | Beige, Walnut Brown and Hartford Green ship with the heavier post wall. |
| **Samples** | Printed ink is never exact. Ask to see a real color sample before you choose. |

Printed colors are close, not exact. Ask us to bring a metal sample to your estimate.

## Seven colors, one finish.

Every panel, post, gate and cap is powder-coated at the factory.




CALL OR TEXT · (419) 214-2107

RECENT INSTALLS

# Aluminum Fence Gallery

Elite aluminum we installed around Toledo and Southeast Michigan.



Front yard, with arborvitae



Black aluminum along a driveway



Around a pool patio




On a long side line

# Aluminum — Build Specs

**Elite EFF-20 Flat Top · 4' and 6'**

## ELITE EFF-20 FLAT TOP — 4' (48" PANEL)

GFS-AL-20-4





SPECIFICATIONS

| | |
|---|---|
| **MODEL** | Elite EFF-20 · flat top · 3 rails |
| **PICKETS** | 5/8" square tube · .050 wall |
| **PICKET SPACE** | 3-13/16" air (1-5/8" pet panel) |
| **RAILS** | 1-1/8" × 1" · .082 sides, .062 top |
| **POSTS** | 2" × 2" × .060 line · routed for rails |
| **TOP-RAIL LOAD** | 350 lb (Elite rating) |

Panels come from Elite already assembled, so the picket spacing is factory-set, not eyeballed.

## ELITE EFF-20 FLAT TOP — 6' (72" PANEL)

GFS-AL-20-6




SPECIFICATIONS

| | |
|---|---|
| **MODEL** | Elite EFF-20 · flat top · 4 rails |
| **RAILS** | Four · 1-1/8" × 1" · same walls |
| **POSTS** | 2" × 2" · .060, .080 or .125 wall |
| **LARGER POST** | 2½" × 2½" × .100 |
| **RACKING** | ~6" per 6' panel standard |
| **FINISH** | Powder-coated · 7 colors |

Heavier post walls are available for gates and ends. Your quote lists the size and wall of every post.

## Every size on the page is Elite's.

Pickets, rails and posts, down to the wall thickness.




CALL OR TEXT · (419) 214-2107

# Aluminum — Spear Top Styles

**Elite EFS-10 · EFS-15**

## ELITE EFS-10 SPEAR TOP — 4'

GFS-AL-10-4





SPECIFICATIONS

| | |
|---|---|
| **MODEL** | Elite EFS-10 · 3 rails |
| **TOP** | Every picket ends in a pressed spear |
| **SPEAR HEIGHT** | 3" above the top rail |
| **PICKETS** | 5/8" square tube · .050 wall · 3-13/16" air |
| **RAILS** | 1-1/8" × 1" · .082 sides, .062 top |
| **POSTS** | 2" × 2" × .060 line · 6'-0½" O.C. |

The traditional wrought-iron look. Pickets run through the top rail and finish in a spear.

## ELITE EFS-15 STAGGERED SPEAR — 4'

GFS-AL-15-4




SPECIFICATIONS

| | |
|---|---|
| **MODEL** | Elite EFS-15 · 3 rails |
| **TOP** | Spears alternate high and low |
| **SPEAR HEIGHT** | 3" and 4½" above the top rail |
| **PICKETS** | 5/8" square tube · .050 wall · 3-13/16" air |
| **RAILS** | 1-1/8" × 1" · .082 sides, .062 top |
| **POSTS** | 2" × 2" × .060 line · 6'-0½" O.C. |

Same panel as the spear top, with every other spear standing taller for a hand-forged look.



## Spears above the top rail.

Same pickets, rails and posts as the flat top.

# Aluminum — Flat Top w/ Spear

**Elite EFF-25 · all four tops compared**

## ELITE EFF-25 FLAT TOP W/ SPEAR — 4'

GFS-AL-25-4

ELEVATION — EFF-25 · 4' · 3-RAIL · ONE 6' PANEL




SPECIFICATIONS

| | |
|---|---|
| **MODEL** | Elite EFF-25 · 3 rails |
| **TOP** | Flat rail · every other picket is a spear |
| **SPEAR HEIGHT** | 3" above the top rail |
| **PICKETS** | 5/8" square tube · .050 wall · 3-13/16" air |
| **RAILS** | 1-1/8" × 1" · .082 sides, .062 top |
| **POSTS** | 2" × 2" × .060 line · 6'-0½" O.C. |


A flat top rail with a spear on every other picket. Half the points of a full spear top.

## ELITE TOP PROFILES COMPARED

GFS-AL-TOPS

TOP PROFILES — SAME SCALE, SAME PICKETS, RAILS AND POSTS

DASHED LINE = TOP OF THE TOP RAIL




SPECIFICATIONS

| | |
|---|---|
| **EFS-10** | Spear on every picket |
| **EFS-15** | Spears alternate high and low |
| **EFF-20** | Flat top rail, no points |
| **EFF-25** | Flat rail, spear on every other picket |
| **ALL FOUR** | Same 5/8" pickets, rails and 2" posts |
| **HEIGHTS** | 3' to 6' · seven colors |

The style only changes what happens above the top rail. The panel under it is the same Elite build.

## Four tops, one panel.

Only the top line changes from style to style.



CALL OR TEXT · (419) 214-2107


# Aluminum — Components

## Post, Rail & Picket Sections · Wall Thickness

### COMPONENTS — WHAT IT'S MADE OF

GFS-AL-CMP

#### POST SECTIONS — PRINTED AT HALF SIZE




**2" × 2" × .060**
Standard line post

**2" × 2" × .080**
Heavier wall


**2" × 2" × .125**
Heaviest 2" wall

**2½" × 2½" × .100**
Larger post

**POST TYPES**

- **Line** — rails both sides
- **End** — rails one side
- **Corner** — rails on two faces
- **Gate** — blank face for hinge or latch
- **Blank** — no routing · brackets

#### RAIL & PICKET SECTIONS — PRINTED AT HALF SIZE




**EFF / EFS RAIL**
.082 sides · .062 top & bottom

**EFF / EFS PICKET**
5/8" square tube

**LIFEGARD RAIL**
Taller rail · same walls

**LIFEGARD PICKET**
¾" square tube

**HOW IT GOES TOGETHER**

| | |
|---|---|
| **Pickets** | pass through punched holes in the rails, factory-fastened. |
| **Panels** | ship from Elite assembled. |
| **Rails** | slide into routed posts. |
| **Trimmable** | for short runs and end sections on site. |
| **Made in** | Chesterfield, MI · since 1986 |

#### ELITE SPEC BY STYLE

| | EFS-10 · EFS-15 · EFF-20 · EFF-25 | 2-RAIL LIFEGARD |
|---|---|---|
| **Pickets** | 5/8" sq. × .050 | ¾" sq. × .050 |
| **Picket air space** | 3-13/16" (1-5/8" pet panel) | Under 4" |
| **Rails** | 1-1/8" × 1" | 1-1/8" × 1-3/4" |
| **Rail walls** | .082 sides · .062 top | .082 sides · .062 top |
| **Posts** | 2" × 2" (.060 / .080 / .125) or 2½" × .100 | 2" × 2" or 2½" × 2½" |
| **Panel** | 6' wide · 6'-0½" O.C. on 2" posts | 6' wide |

These are Elite's published sizes. Both drawings print at exactly half size, wall thickness included.

## Wall thickness is the number to compare.

Here's Elite's, printed at half size so you can measure it.

**FREE ON-SITE ESTIMATE**

SCAN THE CODE


CALL OR TEXT · (419) 214-2107

# Aluminum — LifeGard & Pet Panel

**2-Rail LifeGard · 1-5/8" Pet Spacing**

## ELITE 2-RAIL LIFEGARD — 4'

GFS-AL-LG





| SPECIFICATIONS | |
|---|---|
| MODEL | Elite 2-Rail LifeGard · flat top |
| HEIGHT | 4' · 48" panel |
| RAILS | Two · 1-1/8" × 1-3/4" |
| RAIL WALLS | .082 sides · .062 top |
| PICKETS | ¾" square tube · .050 wall |
| PICKET SPACE | Under 4" air |

Two rails and nothing in between, so there's no midrail for a kid to use as a step.

## ELITE PET PANEL — 1-5/8" SPACING

GFS-AL-PET




| SPECIFICATIONS | |
|---|---|
| MODEL | EFF-20 or EFF-25 pet panel |
| PICKET SPACE | 1-5/8" air (standard is 3-13/16") |
| PICKETS | 5/8" × .050 · ≈31 per 6' panel |
| RAILS | 1-1/8" × 1" · .082 / .062 |
| RACKING | Only ~1–2" per panel |
| HEIGHTS | Same as standard panels |

It racks less than a standard panel, so tell us if your yard slopes and we will check the fit.

## Two options for kids and dogs.

The pet panel closes the gap between pickets to 1⅝ inches.

**FREE ON-SITE ESTIMATE**

SCAN THE CODE

CALL OR TEXT · (419) 214-2107


# Aluminum — Slopes & Gates

**Racking · Gates**

## RACKING — FOLLOWING THE GRADE

GFS-AL-RAK

ELEVATION — TWO RACKED EFF-20 PANELS ON A 6" PER PANEL SLOPE




SPECIFICATIONS

| | |
|---|---|
| **STANDARD** | ~6" rise per 6' panel |
| **EXTRA RACK** | Up to ~16" per panel (Elite option) |
| **PET / DOUBLE** | ~1–2" only |
| **PICKETS** | Stay plumb; rails tilt |
| **STEEPER** | Extra-rack panels. We never step a fence |
| **ODD ANGLES** | Blank posts with brackets |

Racked panels keep the gap under the fence even on a slope, instead of a triangle under each panel.

## GATES — SIZES AND HARDWARE

GFS-AL-GATE

ELEVATION — 4' SINGLE GATE, 48" OPENING




SPECIFICATIONS

| | |
|---|---|
| **SINGLE** | 36" · 42" · 48" · 60" · 72" wide |
| **DOUBLE DRIVE** | Two leaves for wide openings |
| **HARDWARE** | Latch and hinges included |
| **SELF-CLOSING** | Self-closing, self-latching on request |
| **LATCH** | Magnetic latch available |
| **ARCHED** | Estate and curved-top gates |

Tell us what has to fit through it (a mower, a trailer, or just you) and we size the gate to that.

## Panels follow your yard.

They rack with the slope, so the fence isn't stepped.

**FREE ON-SITE ESTIMATE**

SCAN THE CODE

CALL OR TEXT · (419) 214-2107



ALUMINUM · NEXT STEP

# Ready for a price on your aluminum fence?

Free on-site estimate. We bring the Elite colors and price every post and panel.

**01**
**Call, text or scan the code**

**02**
**We walk your yard and measure**

**03**
**You get a written quote with a 3D drawing**

*“We gathered several quotes and went with Ghareeb for the trust value.”*

★★★★★ Jenna Spetz

## (419) 214-2107

**ghareebfence.com**

SCAN FOR A FREE ESTIMATE

GHAREEB FENCING SOLUTIONS · BUILT STURDY. BUILT STRAIGHT. BUILT TO LAST.

# Vinyl Picket & Ranch Styles

**Hartford · Bedford · Cascade · Midland**

## VINYL PICKET & RANCH

GFS-V-LIB2

PICKET & RANCH RAIL — 3' AND 4' · RENDERED FROM OUR ESTIMATING SOFTWARE



**Hartford Picket** — PICKET

1½" square pickets · 3" gaps · Clean, modern line



**Bedford Picket** — PICKET

1½" square pickets · 2" gaps · Tighter spacing than Hartford




**Cascade Traditional** — PICKET

3" pointed pickets · 2" gaps · Straight top line




**Cascade Victorian** — PICKET

3" pointed pickets on a concave sweep · Classic front-yard look



**Midland 2-Rail** — RANCH

3' high · two rails · Boundaries and driveways




**Midland 3-Rail** — RANCH

4' high · three rails · Also 4-rail at 5'

Picket and ranch styles come in White, Tan or Adobe. Full dimensions are on the spec pages.

## For the front yard.

Four of our picket styles, plus ranch rail in two, three or four rails.



CALL OR TEXT · (419) 214-2107


# Vinyl — Picket & Ranch Rail

**Six Picket Styles · Midland Ranch Rail**


## PICKET & RANCH RAIL

GFS-V-PKT


PICKET STYLES — 4' SHOWN, 46" FINISH · 3½"×2" RAILS




**Bedford**
1½" sq. · 2" gaps · 3'-5'




**Bedford Concave**
Concave sweep · 4'-5'




**Hartford**
1½" sq. · 3" gaps · 4'-6'



**Windsor**
3" pickets · 2" gaps · 4'-6'




**Cascade Traditional**
2" pointed · 3'-5'




**Cascade Victorian**
Pointed, concave · 4'-5'

### PICKET NOTES


Rails 3½"×2". A midrail is added at 5' and up.
Windsor and Cascade pickets pass through the rails.
Mocha Walnut woodgrain on Bedford, Bedford Concave and Hartford.



**Midland 2-Rail**
3' high · ribbed rails



**Midland 3-Rail**
4' high · ribbed rails



**Midland 4-Rail**
5' high · ribbed rails

### RANCH RAIL

**Midland 2-, 3- and 4-rail.**
3', 4' and 5' high.
White, Tan or Adobe.

Every picket and ranch style comes in White, Tan or Adobe on 8'-0" sections.

## The classic front-yard fence.

Six picket styles and three ranch rails, all on 8'-0" sections.



CALL OR TEXT · (419) 214-2107


# Vinyl — Hartford & Bedford Picket

**Square pickets · 4' shown**

## HARTFORD PICKET — 4'

GFS-V-HPK

ELEVATION — 4' HARTFORD PICKET




SPECIFICATIONS


| | |
|---|---|
| PICKETS | 1½" square · 3" gaps |
| TOP LINE | Flat. Pickets end inside the top rail |
| RAILS | 3½"×2" · midrail added at 5' and up |
| POSTS | 5"×5" · .150" wall |
| HEIGHTS | 4', 5' or 6' (4' = 46" finish) |
| COLORS | White · Tan · Adobe |

A clean, squared-off picket with a flat top rail. The widest spacing of the vinyl pickets.

## BEDFORD PICKET — 4'

GFS-V-BPK

ELEVATION — 4' BEDFORD PICKET




SPECIFICATIONS

| | |
|---|---|
| PICKETS | 1½" square · 2" gaps |
| TOP LINE | Straight. Pickets rise above the rail |
| RAILS | 3½"×2" · midrail added at 5' and up |
| POSTS | 5"×5" · .150" wall |
| HEIGHTS | 3', 4' or 5' (4' = 46" finish) |
| COLORS | White · Tan · Adobe |

Same square pickets as Hartford, set closer together and standing up past the top rail.

## Two square-picket styles.

Hartford is flat on top. Bedford stands above the rail.




CALL OR TEXT · (419) 214-2107

# Vinyl — Cascade Traditional & Victorian

**Pointed pickets · 4' shown**

## CASCADE TRADITIONAL — 4'

GFS-V-CTR





SPECIFICATIONS

| | |
|---|---|
| PICKETS | 3" wide, pointed · 2" gaps |
| TOP LINE | Straight line of points |
| RAILS | 3½"×2" · midrail added at 5' and up |
| POSTS | 5"×5" · .150" wall |
| HEIGHTS | 3', 4' or 5' (4' = 46" finish) |
| COLORS | White · Tan · Adobe |

The classic pointed picket in vinyl. The pickets run through the rails instead of being screwed to them.

## CASCADE VICTORIAN — 4'

GFS-V-CVI




SPECIFICATIONS

| | |
|---|---|
| PICKETS | 3" wide, pointed · 2" gaps |
| TOP LINE | Concave sweep between posts |
| RAILS | 3½"×2" · midrail added at 5' and up |
| POSTS | 5"×5" · .150" wall |
| HEIGHTS | 4' or 5' (4' = 46" finish) |
| COLORS | White · Tan · Adobe |

Cascade pickets cut to a curve, so the top line dips between each pair of posts.

## Two pointed-picket styles.

Traditional is straight. Victorian dips between posts.

**FREE ON-SITE ESTIMATE**

SCAN THE CODE

CALL OR TEXT · (419) 214-2107


# Vinyl — Midland Ranch Rail

**2-rail at 3' · 3-rail at 4'**

## MIDLAND 2-RAIL RANCH — 3'

GFS-V-M2R

ELEVATION — 3' MIDLAND 2-RAIL RANCH




SPECIFICATIONS


| | |
|---|---|
| **RAILS** | 2 ribbed ranch rails per section |
| **HEIGHT** | 3' nominal |
| **POSTS** | 5"×5" vinyl, routed for the rails |
| **SECTIONS** | 8'-0" O.C. |
| **ALSO BUILT** | 2-rail 3' · 3-rail 4' · 4-rail 5' |
| **COLORS** | White · Tan · Adobe |

Two rails at three feet. Marks a boundary or a driveway without closing anything in.

## MIDLAND 3-RAIL RANCH — 4'

GFS-V-M3R

ELEVATION — 4' MIDLAND 3-RAIL RANCH




SPECIFICATIONS

| | |
|---|---|
| **RAILS** | 3 ribbed ranch rails per section |
| **HEIGHT** | 4' nominal |
| **POSTS** | 5"×5" vinyl, routed for the rails |
| **SECTIONS** | 8'-0" O.C. |
| **ALSO BUILT** | 2-rail 3' · 3-rail 4' · 4-rail 5' |
| **COLORS** | White · Tan · Adobe |

Three rails at four feet, the horse-farm look. No painting, and the rails never rot.

## Ranch rail in vinyl.

Ribbed rails slide through routed posts.





02

SPLIT RAIL

# Split Rail

Northern White Cedar and pressure-treated split rail, with or without pet wire.

# Split Rail — Two Ways to Build It

**Pressure-treated (darker) · Northern White Cedar (lighter)**

## SPLIT RAIL — TWO WAYS TO BUILD IT

GFS-SR-CHOICE

YOUR CHOICE OF TWO BUILDS

### PRESSURE-TREATED — THE DARKER ONE







POST RAIL

| | |
|---|---|
| **Color** | Darker brown |
| **Posts** | Rectangular, sawn |
| **Rails** | Diamond-cut |
| **Wood** | Pressure-treated lumber |

### NORTHERN WHITE CEDAR — THE LIGHTER ONE







POST RAIL

| | |
|---|---|
| **Color** | Lighter, natural |
| **Posts** | Round, peeled |
| **Rails** | Half-round |
| **Wood** | Sourced from Michigan mills |

### THE SAME ON BOTH

| 10'-0" | 12 · 30 · 48" | 36" or 48" | No nails |
|---|---|---|---|
| SECTION, POST TO POST | RAIL CENTERS, 3-RAIL | WIRE ROLL, IF YOU WANT IT | RAILS LOCK IN THE POST |

Both builds use mortised posts: the rail ends slide through the post. Either one can carry 2" × 4" welded wire for pets.

Not sure which you are looking at? Dark with rectangular posts is pressure-treated. Light with round posts is Northern White Cedar.

Full drawings and dimensions for both are on the split rail build-spec page.

## Pick the look.

Both use mortised posts, with no nails holding the rails in.

**FREE ON-SITE ESTIMATE**

SCAN THE CODE

CALL OR TEXT · (419) 214-2107

# Split Rail — Both Builds in 3D

**Northern White Cedar · pressure-treated with pet wire**

## SPLIT RAIL STYLE LIBRARY

GFS-SR-LIB

TWO BUILDS — 3-RAIL, 10' SECTIONS · RENDERED FROM OUR ESTIMATING SOFTWARE



**Northern White Cedar** — CEDAR

Round peeled posts · half-round rails · The lighter one · sourced from Michigan mills



**Pressure-Treated with Pet Wire** — PT + WIRE

Rectangular sawn posts · diamond rails · The darker one · 2" × 4" black welded wire on the yard side

Either build comes with or without wire. Rails lock into mortised posts, with no nails.

## Lighter or darker.

Round posts are cedar. Rectangular posts are pressure-treated.

**FREE ON-SITE ESTIMATE**

SCAN THE CODE

CALL OR TEXT · (419) 214-2107

# Split Rail — Pet Wire & Gates

**Welded Wire · Walk Gates · Double Drive Gates**

SPLIT RAIL

GFS-SR-PET

PET WIRE & GATES · SHOWN IN NORTHERN WHITE CEDAR




**Northern White Cedar: walk gate and corner, with wire**
Gate built from the same rails, X-braced so it stays square





**Cedar double drive gate · long run**
Two leaves for a wide opening



**X-braced gate**
Diagonal brace keeps the leaf from sagging



**Wire to the ground**
Bottom board under the lowest rail



**Wire on every section**
Runs behind each rail, post to post

Wire goes on the yard side: from the street it still looks like plain split rail, and a dog pushing on it pushes it into the rails.

Ask for a bottom board if your dog digs. It closes the gap between the wire and the ground.

## Keeps the dog in.

Still looks like split rail from the street.

**FREE ON-SITE ESTIMATE**

SCAN THE CODE

CALL OR TEXT · (419) 214-2107


# Split Rail — Build Specs

**Cedar Split Rail · PT with Pet Wire**


## CEDAR SPLIT RAIL — ROUND POST & RAIL

GFS-SR-CED

ELEVATION — 3-RAIL · ONE 10' SECTION




MORTISE DETAIL




SPECIFICATIONS


| | |
|---|---|
| SPECIES | Northern White Cedar |
| RAILS | 2-rail (3 ft) or 3-rail (4 ft) |
| RAIL CENTERS | 12" · 30" · 48" (3-rail) |
| POSTS | Round, mortised · 4½" line, 5" ends |
| SECTIONS | 10'-0" O.C. |
| JOINERY | Tapered rails, no nails or brackets |

Round cedar posts and rails. The tapered rail ends lock into the post, so there's no hardware to rust.

## PT SPLIT RAIL — WITH PET WIRE OPTION

GFS-SR-PT

ELEVATION — 3-RAIL · ONE 10' SECTION




MORTISE + WIRE




SPECIFICATIONS

| | |
|---|---|
| WOOD | Pressure-treated, sawn |
| RAILS | 2-rail (3 ft) or 3-rail (4 ft) |
| POSTS | Sawn, mortised · line posts ~3¼" × 6" |
| SECTIONS | 10'-0" O.C. |
| WIRE | 2"×4" welded, 14 ga, 100-ft rolls |
| WIRE FINISH | Galvanized, black or green coated |

The wire goes on the inside face. From the street it still looks like plain split rail; from the yard it holds the dog.

## Two kinds, both mortised.

Round cedar or sawn PT on 10-ft sections, with the 2"×4" wire option spelled out before we set a post.

**FREE ON-SITE ESTIMATE**


SCAN THE CODE

CALL OR TEXT · (419) 214-2107

RECENT INSTALLS

# Split Rail Gallery


Pressure-treated and Northern White Cedar, with gates and pet wire.



Pressure-treated split rail, three rails



Cedar split rail with wire



Cedar split rail with X-braced gates



Split rail with welded wire

# Split rail with wire and gates

Northern White Cedar, on back yards and open lots



Split rail gate with wire



Three rails with welded wire



Split rail with wire and a gate




# Ready for a price on your split rail fence?

Free on-site estimate. Cedar or pressure-treated, with or without pet wire.

**01**
**Call, text or scan the code**

**02**
**We walk your yard and measure**

**03**
**You get a written quote with a 3D drawing**

*“even thought of our dogs making sure they would be able to come out if needed while he worked.”*


★★★★★ **Marissa Barnes**

## (419) 214-2107

**ghareebfence.com**

SCAN FOR A FREE ESTIMATE

GHAREEB FENCING SOLUTIONS · BUILT STURDY. BUILT STRAIGHT. BUILT TO LAST.



03

CHAIN LINK

# Chain Link

Galvanized and black vinyl-coated chain link, 4' to 6', with top rail on every run.

# Chain Link Fencing

**Galvanized · Black Vinyl-Coated**

## CHAIN LINK

GFS-CL-GAL

### GALVANIZED









**Residential galvanized, with walk and drive gates**
Top rail on every run, terminal posts at the ends and gates

### BLACK VINYL-COATED





**Black-coated fabric and framework**
Same build, black from post caps to fittings

| 4' – 6' | 10'-0" | 1-3/8" | Add-on |
|---|---|---|---|
| HEIGHTS | POST SPACING | TOP RAIL, STANDARD | BOTTOM TENSION WIRE |

### WHERE IT FITS

| | |
|---|---|
| **Budget** | The lowest cost per foot of anything we install. |
| **Pets** | See-through, and it holds a dog. Add bottom tension wire if yours pushes under. |
| **Winter** | We install through the winter, frozen ground included. |

Full sizes for posts, rails and fittings are on the chain link build-spec page.

## The budget option, built right.

Top rail standard, bottom tension wire if you want it.

**FREE ON-SITE ESTIMATE**

SCAN THE CODE

CALL OR TEXT · (419) 214-2107


# Chain Link — Both Finishes in 3D

**Galvanized · black vinyl-coated**

## CHAIN LINK STYLE LIBRARY


GFS-CL-LIB

TWO FINISHES — 4' SHOWN, 10' POST SPACING · RENDERED FROM OUR ESTIMATING SOFTWARE



**Galvanized Chain Link** — GALV

1-5/8" line posts · 2-3/8" terminal posts · 1-3/8" top rail on every run



**Black Chain Link** — BLACK

Black vinyl-coated fabric and framework · Same post and rail sizes as galvanized

Built 4' to 6' high. Bottom tension wire is an add-on at extra cost.

## Same build, two finishes.

Top rail on every run.

**FREE ON-SITE ESTIMATE**

SCAN THE CODE

CALL OR TEXT · (419) 214-2107

# Chain Link — Build Specs

**Galvanized · Black Vinyl-Coated**

## GALVANIZED CHAIN LINK

GFS-CL-G

ELEVATION — GALVANIZED · 4' FABRIC · ONE 10' SECTION




SPECIFICATIONS


| | |
|---|---|
| FABRIC | 2" diamond mesh · hot-dip galvanized |
| LINE POSTS | 1-5/8" steel · 10'-0" O.C. |
| TERMINALS | 2-3/8" at ends, corners and gates |
| GATE POSTS | 2-7/8" for double or over-6' gates |
| TOP RAIL | 1-3/8" continuous · standard |
| BOTTOM WIRE | Tension wire · add-on, extra cost |
| HEIGHTS | 4' to 6' |

The top rail is standard. A bottom tension wire is an add-on if you want the bottom of the fabric pulled tight.

## BLACK VINYL-COATED CHAIN LINK

GFS-CL-V

ELEVATION — BLACK VINYL-COATED · 4' FABRIC · ONE 10' SECTION




SPECIFICATIONS

| | |
|---|---|
| FINISH | Black vinyl over galvanized steel |
| FABRIC | 2" diamond mesh · black |
| FRAMEWORK | Posts, rail and fittings black-coated |
| POST SIZES | Same: 1-5/8" line · 2-3/8" terminal |
| TOP RAIL | 1-3/8" · standard |
| BOTTOM WIRE | Tension wire · add-on, extra cost |
| HEIGHTS | 4' to 6' |

Same build, black from top to bottom. It fades into the yard instead of shining in it.


**Even the budget option gets a spec sheet.**

Compare it line for line against any other bid.

**FREE ON-SITE ESTIMATE**

SCAN THE CODE

CALL OR TEXT · (419) 214-2107



RECENT INSTALLS

# Chain Link Gallery

Black vinyl-coated and galvanized chain link.



Black chain link on a long run



Black chain link with a walk gate



Galvanized chain link with a top rail



Black chain link, close up

YEAR-ROUND · WINTER INSTALLS

# We install all winter

Driven posts go into frozen ground. No waiting for spring.



White vinyl privacy



Black aluminum along the arborvitae



Black aluminum around a pool



Black chain link at a business



Black aluminum, corner panel



Galvanized chain link



CHAIN LINK · NEXT STEP

# Ready for a price on your chain link fence?

Free on-site estimate. Galvanized or black, 4' to 6'.

**01**
**Call, text or scan the code**

**02**
**We walk your yard and measure**

**03**
**You get a written quote with a 3D drawing**

*“The workers are very nice and they work extremely hard nonstop. I definitely recommend”*

★★★★★ **Dashawn Nickson**

## (419) 214-2107

**ghareebfence.com**

SCAN FOR A FREE ESTIMATE

GHAREEB FENCING SOLUTIONS · BUILT STURDY. BUILT STRAIGHT. BUILT TO LAST.

# Three Checkpoints on Every Job

We check the job three times, and you can follow along in your portal

## 1

### PRE-INSTALL

- ✓ Property lines verified
- ✓ 811 utility locates marked
- ✓ Materials inspected on arrival
- ✓ Site documented with photos

**IN YOUR PORTAL**

- Permits pulled
- Materials confirmed
- 811 locates logged
- Crew assigned

## 2

### DURING INSTALL

- ✓ Post depth verified
- ✓ Every run checked for level
- ✓ Gate swing tested
- ✓ Progress photos uploaded

**IN YOUR PORTAL**

- Layout confirmed
- Gates verified
- Property lines held
- Your sign-off

## 3

### FINAL WALKTHROUGH

- ✓ Complete inspection with you
- ✓ Hardware checked and adjusted
- ✓ Gates adjusted
- ✓ Site cleaned, debris hauled

**IN YOUR PORTAL**

- Full inspection
- Hardware tested
- Clean-up done
- Final sign-off

**Photos at every stage, and your sign-off before we call it done.**










# Local Fence Rules

**Height limits · permits · what towns ask for**

## FENCE RULES AT A GLANCE

GFS-RULES-1

WHERE THE HEIGHT LIMITS USUALLY CHANGE · PLAN VIEW, TYPICAL LOT




### READING THE DRAWING

**Side and rear fence**
Usually up to 6'. Privacy styles go here.

**Front yard fence**
Usually 3½' to 4'. Some towns ask for an open style.

**Property line**
Most towns let you build on your side of it.

### RULES NEARLY EVERY TOWN SHARES

**Good side out**
Posts and rails face your yard, the finished face faces the neighbor.


**Corner lots**
Both street sides can count as front yards.

**Pools**
A barrier of about 4' with a self-closing, self-latching gate.

**Utilities**
811 locate before any post goes in. We call it in.

**HOAs**
Deed and HOA rules can be stricter than the town's.

HEIGHTS SIDE BY SIDE · ELEVATION




**FRONT YARD**
Toledo, Sylvania, Rossford, Bedford Twp, Maumee (open styles)

**FRONT YARD**
Perrysburg, Oregon, Springfield Twp, Sylvania Twp (open styles)

**POOL BARRIER**
Typical minimum, with a latching gate

**SIDE & REAR**
Standard privacy height

Typical limits only. The next two pages list what each community publishes.

## Most towns follow the same pattern.

Low in the front yard, up to six feet at the side and rear.



CALL OR TEXT · (419) 214-2107

# Fence Rules — Ohio Cities

**Toledo · Oregon · Perrysburg · Rossford · Sylvania**

## LOCAL FENCE RULES — OHIO CITIES

GFS-RULES-2

WHAT EACH CITY PUBLISHES · RESIDENTIAL LOTS · CHECKED NOVEMBER 2026

| COMMUNITY | PERMIT | FRONT YARD | SIDE YARD | REAR YARD | ALSO WORTH KNOWING |
|---|---|---|---|---|---|
| **Toledo**<br>toledo.oh.gov · fences | **Zoning certificate**<br>required for every fence | 3½' | 6' | 6' | Corner lots have two front yards.<br>Finished side faces out.<br>Can sit on the property line. |
| **Oregon**<br>Code §1155.02 | **Ask the city**<br>before you build | 4'<br>in the required front yard | 6' | 6' | Can sit on the property line.<br>No barbed or electric fence on residential lots. |
| **Perrysburg**<br>City zoning code | **Permit required** | 4'<br>6' needs board approval | 4'<br>6' needs board approval | 6' | No chain link in the front yard.<br>Set 4" inside the property line.<br>Finished side faces out. |
| **Rossford**<br>Code §1134.04 | **Permit required**<br>for every fence | 42" | 6' | 6' | Open styles only in the front yard.<br>Set 4" inside the property line.<br>Finished side faces out. |
| **Sylvania**<br>Code §1117.08 | **Zoning permit** | 3½' | 4'<br>beside the house | 7' | Keep corners clear at intersections.<br>From the code posted on the city's site. Confirm the current edition. |

Codes change and lots differ. We confirm the rules for your address before we build.

## We pull the permit.

It is built into every quote, and we check the rules for your address first.



CALL OR TEXT · (419) 214-2107

# Fence Rules — Townships & Michigan

**Maumee · Waterville · townships · Bedford Twp, MI**

## LOCAL FENCE RULES — TOWNSHIPS & MICHIGAN

GFS-RULES-3

WHAT EACH COMMUNITY PUBLISHES · RESIDENTIAL LOTS · CHECKED NOVEMBER 2026

| COMMUNITY | PERMIT | FRONT YARD | SIDE YARD | REAR YARD | ALSO WORTH KNOWING |
|---|---|---|---|---|---|
| **Waterville**<br>City new-resident FAQ | **No fence permit,**<br>per the city's FAQ | –<br>not set in the city code | – | – | 36" maximum at intersection corners.<br>Zoning Inspector: 419-878-8132.<br>We confirm with the city first. |
| **Maumee**<br>Code §1142.03 | **Zoning Administrator**<br>approval | 3'<br>solid · 3½' open styles | 6' | 6' | Can sit on the property line.<br>Finished side faces out.<br>Pool fence: 4' minimum. |
| **Springfield Twp**<br>Zoning Res. §1904 · Holland area | **Zoning certificate**<br>required | 4' | 6' | 6' | Corner lots: 4' along both streets.<br>Can sit on the property line.<br>Keep 1' off a public sidewalk. |
| **Perrysburg Twp**<br>Zoning Res. Art. VII §J | **Ask the township**<br>before you build | 4' | 4'<br>beside the house | 7' | Good side faces the neighbor.<br>Keep 30' clear at street corners. |
| **Sylvania Twp**<br>Zoning Res. §1307 | **Zoning permit**<br>required | 3'<br>solid · 4' open styles | 6' | 6' | Finished side faces out.<br>Can sit on the property line.<br>Pool fence: 3½' min, locking gate. |
| **Bedford Twp, MI**<br>Zoning Ord. §400.1912 | **No building permit**<br>for a fence | 3½'<br>decorative styles only | 6' | 6' | Temperance and Lambertville.<br>Posts go on your side.<br>Can sit on the property line. |

WHAT WE HANDLE FOR YOU

| | |
|---|---|
| **Permits** | We pull and handle the permit. It is built into every quote. |
| **Utilities** | We call in the 811 locate and log it before the first post. |
| **Layout** | We walk the line with you and mark gates before we start. |
| **Not listed?** | Monroe, Northwood, Ottawa Hills, Monclova and others: we check your town the same way. |
| **Helps to have** | A survey or plot plan, your HOA rules if you have them, and where you want gates. |

A summary, not legal advice. Your zoning office has the final word, and HOA rules can be stricter.

## A summary, not legal advice.

Your zoning office has the final word.



CALL OR TEXT · (419) 214-2107

# Backed by a Written Warranty

A written workmanship warranty, manufacturer coverage on materials, and claims handled by the owner

**3**

## YEAR WORKMANSHIP WARRANTY

If something we built isn't right, we come back and fix it. You deal with the owner, not a call center.

### WHAT'S COVERED

- ✓ Post setting & alignment
- ✓ Panel and picket installation
- ✓ Gate installation & operation
- ✓ Rails, framework, fasteners

### MATERIAL QUALITY

Elite aluminum carries the manufacturer's limited lifetime warranty. Split rail and chain link are built to our 3-year workmanship warranty.

**EASY CLAIMS** Submit through the portal or just call.

**You Talk to the Owner**

Not a call center

**Clean Job Site**

We clean up every day and haul off the debris

**Our Own Crew**

The same people from start to finish

**Clear Scheduling**

Install dates confirmed before we start









**“ We have nothing to say but amazing things about Ghareeb Fencing! We were so undecided about what we needed/wanted for our awkward lot(s) and Nick was SUPER patient. He talked us through each option and listened to my endless rants. We gathered several quotes and went with Ghareeb for the trust value. Their team provided outstanding communication and made the process seamless. Highly recommend!”**

★★★★★ JENNA SPETZ

## WHAT OTHER CUSTOMERS WROTE

“What impressed me most was how he worked within our budget constraints to find the best possible option without compromising on quality.”

★★★★★ ROY GENE PALMER III

“Price was very competitive and the job was completed on budget and on schedule.”

★★★★★ JOSH SMITH

“Amazing to work with! gave a great quote & we're able to get our fence up quickly.”

★★★★★ MARISSA BARNES

## (419) 214-2107

CALL OR TEXT · FREE ON-SITE ESTIMATE

Every review is public and quoted word for word.
Find them on Google, Facebook and the BBB.

# Client Portal

Your quote, 3D drawing, photos, payments and signature in one place. No app to download.

## YOUR FENCE, DRAWN BEFORE IT IS BUILT



### A 3D drawing of your fence comes with your quote.

Rendered from our estimating software. Shown: cedar cap and trim.

### Log in with your job number

No password to remember.

### View your proposal

Complete quote with materials and pricing.

### Track progress

Photos from each installation stage.

## ALSO IN YOUR PORTAL

### Easy payments

Pay securely with card or bank transfer.

### Digital signature

Sign contracts electronically.

### One place for everything

Open it from any phone or computer.

## ACCESS YOUR PORTAL ANYTIME

**portal.ghareebfence.com**

Secure payments · Digital receipts · E-signatures

## Everything about your job in one place.

This is the real sign-in screen. Open it with your job number and the last name on your quote.




CALL OR TEXT · (419) 214-2107

# What Our Customers Say

Real reviews from Google, Facebook & BBB — reproduced word for word

★★★★★ **Roy Gene Palmer III**

**Excellent Work and Great Customer Service**

Nick did an outstanding job installing our traditional cedar picket fence. From the start, he was incredibly patient in working through the details of our project and offered several creative solutions when we encountered challenges with our property layout.

What impressed me most was how he worked within our budget constraints to find the best possible option without compromising on quality. The finished fence looks fantastic - the craftsmanship is top-notch and you can tell Nick takes pride in his work.

His communication throughout the project was excellent, and he was always willing to explain his recommendations and answer our questions. I'd definitely recommend Nick to anyone looking for a reliable fence contractor who delivers quality work at a fair price.

---

★★★★★ **Josh Smith**

Hired Nick and Ghareeb Fencing solutions. We opted for a cedar privacy fence. Nick knocked it out of the park. Price was very competitive and the job was completed on budget and on schedule. They left the yard in clean state and were happy to talk to the neighbors about what to expect with the install. 10/10 would recommend again

The fence has been up for about 6 months through winter and looks as good as when he installed it.

---

★★★★★ **Dashawn Nickson**

I just got my fence done today June 6, 2025 and let me say this is a five star Fencing service complete my entire yard within two days always on schedule always answer calls reasonable prices. The workers are very nice and they work extremely hard nonstop. I definitely recommend

---

★★★★★ **Jenny Wilhelm Pfeiffer**

Nicholas was amazing to work with! Nicholas was very knowledgeable and patient with us with our decision making. He did not push vinyl on us knowing that wasn't what we wanted, unlike the other companies that quoted us. Our fencing was built from scratch, no pre-made fencing here! We cannot say enough good things about this business and the gentleman that he had working with him on our project. All of his employees were very kind and respectful. 100% a customer for life and absolutely recommend if you are looking for new fencing! Oh and he beat his competitors by over $1000.00!!!! Thank you so much for our amazing fence!

---

★★★★★ **Theresa C.**

Had around 230 linear feet of white vinyl fence installed 6/25/25. They finished the job the next day. Nicholas and his team were wonderful. From beginning to end. From the communication to the product and the install. If you need a fence you don't have to look any further. I highly recommend.

---

★★★★★ **Jenna Spetz**

We have nothing to say but amazing things about Ghareeb Fencing! We were so undecided about what we needed/wanted for our awkward lot(s) and Nick was SUPER patient. He talked us through each option and listened to my endless rants. We gathered several quotes and went with Ghareeb for the trust value. Their team provided outstanding communication and made the process seamless. Highly recommend!

---

★★★★★ **Marissa Barnes**

Amazing to work with! gave a great quote & we're able to get our fence up quickly. even thought of our dogs making sure they would be able to come out if needed while he worked. cannot recommend them enough!

---

*Every review above is public — find them on Google, Facebook, and the BBB.*

# Frequently Asked Questions

Straight answers up front — and a real person at (419) 214-2107 for the rest

**Q. How long does installation take?**

Most residential fences go up in 1–3 days, and we install all winter — we can drive posts into frozen ground. The crew cleans up daily.

**Q. Do I need a permit?**

Most local zoning requires one. We pull and handle permits for you — it's built into every quote.

**Q. Do you offer financing?**

Yes — financing is available for qualifying customers. Ask us for current terms and rates.

**Q. What's the warranty?**

Three years on workmanship from us, plus the manufacturer's limited lifetime warranty on Elite aluminum.

**Q. Do I need to be home during the install?**

No — but we recommend being there for the first and final walkthroughs so you and the crew stay on the same page.

**Q. What areas do you serve?**

Northwest Ohio & Southeast Michigan — Toledo, Perrysburg, Maumee, Sylvania, Monroe, Temperance, and nearby.

**More questions? Call or text** (419) 214-2107 · ghareebfence.com — we're happy to help.













# What's Actually in Your Quote

The lowest number isn't always the lowest price. Here's what we spell out — and what's easy to leave off a cheaper bid.

| IN EVERY GFS QUOTE | EASY TO LEAVE OFF A BID |
|---|---|
| ✓ Post type, size, and depth *(in writing)* | ✗ “Posts in concrete” with no depth listed |
| ✓ Cedar species and grade, in writing | ✗ Lumber just called “cedar” — which grade? |
| ✓ Steel or aluminum gate frames and hardware | ✗ Gate hardware added on later |
| ✓ Post foundation matched to your soil | ✗ One method for every yard, clay or sand |
| ✓ Full grading and cleanup, debris hauled | ✗ Grading and cleanup billed separately |
| ✓ Permits pulled and handled | ✗ “Permit is your responsibility” |
| ✓ 3-year written workmanship warranty | ✗ A verbal warranty only |
| ✓ One accountable crew, owner on site | ✗ Subcontractors, no single point of contact |

**Missing any of these?** Then it isn’t cheaper. It just covers less. Ask for each one in writing before you compare prices.

# Payment & Financing

How to pay, and how financing works

## Payment Options

**Credit & Debit Cards**

Visa, Mastercard, Amex, Discover

**Bank Transfer / ACH**

Direct electronic payment

**Cash & Check**

Both are fine

**Venmo**

Send it from your phone

## Financing Available

Spread payments over time — monthly plans for qualifying customers.

- ✓ Quick online application
- ✓ Monthly payment plans
- ✓ For qualifying customers
- ✓ Ask us for current rates
- ✓ Terms set by the lender

**Scan for your client portal**

View proposals, sign digitally, and pay — from any device.

portal.ghareebfence.com

**Standard terms:** 50% deposit at contract, 50% at completion.

✓ **Secure payments** ✓ **Digital receipts**
✓ **Mobile-friendly** ✓ **E-signatures**









# How to Get Started

What happens from your first call to the final walkthrough

1

## FREE ESTIMATE

Call or text to set up a free estimate. We walk the yard with you, measure, and answer your questions. No commitment.

2

## WRITTEN QUOTE

Usually within a day or two, your quote shows up in the client portal with exact materials, line-item pricing and a timeline.

3

## SIGN AND SCHEDULE

Review and sign digitally. Make your deposit by card, check, cash, ACH, or Venmo — and we pull the permits.

4

## INSTALLATION

Our crew builds the fence, cleans up every day, and walks the finished job with you before we call it done.

**Call or text:** (419) 214-2107

Free estimates · Financing available · 3-year workmanship warranty

ghareebfence.com

### YOUR ESTIMATE

Jot down the details from your visit.

PREPARED FOR

ADDRESS

VISIT DATE

ESTIMATOR

STYLES WE TALKED ABOUT

LENGTH (FT)

HEIGHT · GATES

PROPOSAL # IN YOUR PORTAL

### SKETCH YOUR YARD

House, gates, trees, and where the property pins are.

# GHAREEB FENCING SOLUTIONS

BUILT STURDY. BUILT STRAIGHT. BUILT TO LAST.

SOUTHEAST MICHIGAN | NORTHWEST OHIO

## (419) 214-2107

ghareebfence.com

portal.ghareebfence.com

**Serving Northwest Ohio & Southeast Michigan**

Toledo · Perrysburg · Maumee · Sylvania · Monroe · Temperance

4.9 ★★★★★ on Google 27 REVIEWS

LICENSED & INSURED

GHAREEB FENCING SOLUTIONS 3 YEAR WORKMANSHIP WARRANTY

BBB ACCREDITED BUSINESS

★★★★★

*"If you need a fence you don't have to look any further."*

— Theresa C., customer review

*Thanks for considering us.*

SCAN FOR A FREE ESTIMATE

**Or call or text (419) 214-2107**